
CBE ID

0028e

Title

Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention

Project

Behavioral Health and Substance Use

Endorsement Status

Endorsement Removed

Is Under Review

No

Previous Endorsement Cycle

Fall 2019

Removal Date

Thu, 10/13/2022 - 08:20

Initial Endorsement

Wed, 06/28/2017 - 06:40

Steward

National Committee for Quality Assurance

1.0 New or Maintenance

Maintenance

1.1 Measure Structure

Single Measure

1.3 Electronic Clinical Quality Measure (eCQM)

Yes

1.6 Measure Description

Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received tobacco cessation intervention if identified as a tobacco user

Three rates are reported:

- a. Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months
- b. Percentage of patients aged 18 years and older who were screened for tobacco use and identified as a tobacco user who received tobacco cessation intervention

c. Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received tobacco cessation intervention if identified as a tobacco user

1.7 Measure Type

Process

1.8 Level of Analysis

Clinician: Group/Practice, Clinician: Individual

1.9 Care Setting

Home Care, Other, Outpatient Services

1.14 Numerator

Population 1: Patients who were screened for tobacco use at least once within 24 months

Population 2: Patients who received tobacco cessation intervention
Population 3: Patients who were screened for tobacco use at least once within 24 months AND who received tobacco cessation intervention if identified as a tobacco user

1.15 Denominator

Population 1: All patients aged 18 years and older seen for at least two visits or at least one preventive visit during the measurement period

Population 2: All patients aged 18 years and older seen for at least two visits or at least one preventive visit during the measurement period who were screened for tobacco use and identified as a tobacco user
Population 3: All patients aged 18 years and older seen for at least two visits or at least one preventive visit during the measurement period

1.20 Types of Data Sources

Electronic Health Records: Electronic Health Records

6.1.2 Current or Planned Use(s)

Public Reporting

Exclusions

Denominator Exclusions: not applicable

Denominator Exceptions:

Population 1:

Documentation of medical reason(s) for not screening for tobacco use (eg, limited life expectancy, other medical reason)

Population 2:

Documentation of medical reason(s) for not providing tobacco cessation intervention (eg, limited life expectancy, other medical reason)

Population 3:

Documentation of medical reason(s) for not screening for tobacco use OR for not providing tobacco cessation intervention for patients identified as tobacco users (eg, limited life expectancy, other medical reason)

Measure Disclaimer

See copyright statement above.

Planned Use

Public Reporting

Risk Adjustment

No risk adjustment or risk stratification

Target Population

Elderly, Individuals with multiple chronic conditions, Populations at Risk

Use In Federal Program

Medicare Physician Quality Reporting System (PQRS), Medicare Shared Savings Program (MSSP), Million Hearts, Physician Compare, Physician Feedback/Quality and Resource Use Reports (QRUR), Physician Value-Based Payment Modifier (VBM)

Steward Organization

National Committee for Quality Assurance

Steward POC email

measureendorsement@ncqa.org