
CBE ID

0211

Title

Proportion of patients who died from cancer with more than one emergency department visit in the last 30 days of life

Project

Palliative Care and End-of-Life

Endorsement Status

Endorsement Removed

Is Under Review

No

Previous Endorsement Cycle

Full Year 2015

Removal Date

Mon, 10/17/2016 - 20:00

Initial Endorsement

Sun, 08/09/2009 - 20:00

Steward

American Society of Clinical Oncology

1.0 New or Maintenance

Maintenance

1.1 Measure Structure

Single Measure

1.3 Electronic Clinical Quality Measure (eCQM)

No

1.6 Measure Description

Proportion of patients who died from cancer with more than one emergency department visit in the last 30 days of life

1.7 Measure Type

Intermediate Outcome

1.8 Level of Analysis

Clinician: Group/Practice

1.9 Care Setting

Home Care, Inpatient/Hospital, Outpatient Services

1.14 Numerator

Patients who died from cancer and had at least one emergency department visit in the last 30 days of life

1.15 Denominator

Patients who died from cancer

1.20 Types of Data Sources

Claims Data, Registry data

6.1.2 Current or Planned Use(s)

Payment Program, Quality Improvement (Internal to the specific organization)

6.1.3 Current Use(s)

Payment Program, Quality Improvement (Internal to the specific organization)

Exclusions

None

Measure Disclaimer

These clinical indicators and quality measures are not intended to and should never supplant independent physician judgment with respect to particular patients or clinical situations. Patient care is always subject to the independent physician judgment with respect to particular patients or clinical situations. Patient care is always subject to the independent professional judgment of the treating physician.

Accordingly, QOPI participants' adherence to quality measures contained in this research report is strictly voluntary and discretionary, with the ultimate determination regarding their application to be made by the treating physician in his or her professional judgment and in light of each patient's individual circumstances. ASCO does not endorse the QOPI® measures as guidelines for standards of practice or 'best practices.'

Planned Use

Payment Program

Risk Adjustment

No risk adjustment or risk stratification

Target Population

Elderly

Steward Organization

American Society of Clinical Oncology

Steward POC email

Tayyaba.Shehzadi@asco.org