

Section 7: Supplemental materials

Table 1: Performance scores by subpopulation, comparing initial submission in 2020 and 2026 maintenance submission

Characteristic	Category	N (2020)	N (2026)	% of Denominator (2019)	% of Denominator (2026)	Performance scores (2019)	Performance scores (2026)	Ch-square value (2019)	Chi-square probability (2019)	Ch-square value (2026)	Chi-square probability (2026)
Age category	15-20 years	488	482	20%	25%	83%	77%	3.065	0.690	4.739	0.192
*	21-30 years	1,317	726	53%	38%	83%	81%	*	*	*	*
*	31-40 years	579	510	23%	27%	81%	80%	*	*	*	*
*	41-44 years	90	182	4%	10%	85%	76%	*	*	*	*
Race/ethnicity	Black/African American	222	305	1%	16%	79%	70%	27.079	<0.001	41.460	<0.001
*	Latina/Hispanic	747	761	30%	40%	80%	77%	*	*	*	*
*	White	1335	597	54%	31%	86%	86%	*	*	*	*
*	Asian	105	50	4%	3%	74%	86%	*	*	*	*
*	Native Hawaiian/Pacific Islander	25	8	<1%	<1%	84%	100%	*	*	*	*
*	Native American/Alaska Native	81	13	<1%	<1%	85%	85%	*	*	*	*
*	Multi-racial	156	131	6%	7%	87%	82%	*	*	*	*
*	Middle Eastern	0	17	0	<1%	*	65%	*	*	*	*
*	Other	147	42	6%	2%	79%	76%	*	*	*	*
Language spoken	English	3220	1622	93%	80%	84%	80%	38.373	<0.001	18.598	<0.001
*	Spanish	255	381	7%	19%	68%	74%	*	*	*	*
*	Other	0	16	0	1%		44%	*	*	*	*
Sexual orientation	Heterosexual	Not included	1,238	*	74%	*	80%	*	*	0.555	0.456
*	Not heterosexual	Not included	435	*	26%	*	78%	*	*	*	*
Disability status	Has disability	Not included	120	*	7%	*	75%	*	*	1.026	0.311
*	Has no disability	Not included	1641	*	93%	*	79%	*	*	*	*

Table 2a: Patient characteristics by clinician group/practice in reliability testing panel (part 1 of 5)

*	Clinician group/practice 1	Clinician group/practice 2	Clinician group/practice 3	Clinician group/practice 4	Clinician group/practice 5	Clinician group/practice 6	Clinician group/practice 7	Clinician group/practice 8
*	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)
Age (in years)	*	*	*	*	*	*	*	*
15-20 years	44(22%)	13 (21%)	5 (9%)	0	1 (2%)	7 (13%)	8 (13%)	3 (6%)
21-30 years	75 (38%)	24 (39%)	21 (39%)	15 (45%)	21 (42%)	23 (43%)	23 (37%)	18 (38%)
31-40 years	48 (24%)	15 (25%)	21 (39%)	8 (24%)	14 (28%)	15 (28%)	21 (34%)	15 (31%)
41+ years	21 (11%)	5 (8%)	7 (13%)	9 (27%)	9 (18%)	5 (9%)	6 (10%)	3 (6%)
Missing	10 (5%)	4 (7%)	0	1 (3%)	5 (10%)	4 (7%)	4 (6%)	9 (19%)
Race/ethnicity	*	*	*	*	*	*	*	*
Black/African American	19 (10%)	33 (54%)	0	0	1 (2%)	2 (4%)	16 (26%)	10 (21%)
Latina/Hispanic	106 (53%)	20 (33%)	52 (96%)	4 (11%)	43 (86%)	41 (76%)	31 (50%)	22 (46%)
White	26 (13%)	5 (8%)	2 (4%)	20 (57%)	0	3 (6%)	6 (10%)	2 (4%)
Asian	21 (11%)	0	0	0	0	2 (4%)	3 (5%)	1 (2%)
Native Hawaiian/Pacific Islander	3 (2%)	0	0	0	0	0	0	0
Native American/Alaska Native	13 (7%)	0	0	1 (3%)	0	0	0	1 (2%)
Multi-racial	1 (1%)	1 (2%)	0	7 (20%)	4 (4%)	2(4%)	4 (6%)	2 (4%)
Middle Eastern/Arab	1 (1%)	0	0	0	0	0	0	0
Other	0	1 (2%)	0	1 (3%)	0	0	1 (2%)	0
Missing	8 (4%)	1 (2%)	0	2 (6%)	4 (8%)	4 (7%)	1 (2%)	10 (21%)
Language	*	*	*	*	*	*	*	*
English	130 (66%)	44 (72%)	14 (26%)	33 (100%)	8 (16%)	53 (98%)	54 (87%)	48 (100%)
Spanish	68 (34%)	17 (28%)	40 (74%)	0	42 (84%)	1 (2%)	8 (13%)	
Other	0	0	0	0	0	0	0	
Missing	0	0	0	0	0	0	0	
Sexual orientation	*	*	*	*	*	*	*	
Heterosexual	132 (67%)	2 (3%)	54 (100%)	17 (52%)	19 (38%)	27 (50%)	42 (68%)	26 (54%)
Not heterosexual	22 (11%)	14 (23%)	0	15 (45%)	6 (12%)	19 (35%)	9 (15%)	11 (23%)
Missing	44 (22%)	45 (74%)	0	1 (3%)	25 (50%)	8 (15%)	11 (18%)	11 (23%)

Disability status	*	*	*	*	*	*	*	*
Has disability	6 (3%)	0	0	4 (12%)	2 (4%)	2 (4%)	3 (5%)	2 (4%)

Table 2a: Patient characteristics by clinician group/practice in reliability testing panel (part 2 of 5)

*	Clinician group/practice 9	Clinician group/practice 10	Clinician group/practice 11	Clinician group/practice 12	Clinician group/practice 13	Clinician group/practice 14	Clinician group/practice 15	Clinician group/practice 16
*	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)
Age (in years)	*	*	*	*	*	*	*	*
15-20 years	4 (8%)	8 (33%)	8 (40%)	8 (18%)	12 (17%)	13 (25%)	20 (63%)	2 (13%)
21-30 years	15 (29%)	7 (29%)	5 (25%)	13 (30%)	29 (42%)	25 (48%)	5 (16%)	6 (38%)
31-40 years	19 (37%)	6 (25%)	4 (20%)	14 (32%)	18 (26%)	7 (13%)	4 (13%)	3 (19%)
41+ years	7 (13%)	2 (8%)	2 (10%)	4 (9%)	8 (12%)	1 (2%)	2 (6%)	4 (25%)
Missing	7 (13%)	1 (4%)	1 (5%)	5 (13%)	2 (3%)	6 (12%)	1 (3%)	1 (6%)
Race/ethnicity	*	*	*	*	*	*	*	*
Black/African American	14 (27%)	0	0	16 (36%)	4 (6%)	1 (2%)	2 (6%)	0
Latina/Hispanic	10 (19%)	0	1 (5%)	2 (4%)	52 (75%)	0	1 (3%)	0
White	11 (21%)	21 (87%)	17 (85%)	1 (2%)	8 (12%)	45 (86%)	26 (81%)	16 (100%)
Asian	2 (4%)	0	0	1 (2%)	1 (1%)	0	0	0
Native Hawaiian/Pacific Islander	1 (2%)	0	0	1 (2%)	0	0	0	0
Native American/Alaska Native	2 (4%)	1 (4%)	1 (5%)	0	0	3 (6%)	0	0
Multi-racial	4 (8%)	1 (4%)	1 (5%)	2 (4%)	3 (4%)	0	2 (6%)	0
Middle Eastern/Arab	0	0	0	14 (32%)	0	0	0	0
Other	2 (4%)	0	0	0	0	0	0	0
Missing	6 (12%)	1 (4%)	0	7 (16%)	1 (1%)	3 (6%)	1 (3%)	0
Language	*	*	*	*	*	*	*	*
English	50 (96%)	24 (100%)	20 (100%)	28 (63%)	31 (45%)	52 (100%)	32 (100%)	16 (100%)
Spanish	2 (4%)	0	0	13 (30%)	38 (55%)	0	0	0
Other	0	0	0	3 (7%)	0	0	0	0
Missing	0	0	0		0	0	0	0

Sexual orientation	*	*	*	*	*	*	*	*
Heterosexual	24 (46%)	15 (63%)	15 (75%)	0	57 (83%)	30 (58%)	18 (56%)	10 (62%)
Not heterosexual	15 (29%)	6 (25%)	5 (25%)	22 (50%)	4 (6%)	15 (29%)	10 (31%)	6 (38%)
Missing	13 (25%)	3 (12%)	0	22 (50%)	8 (12%)	7 (14%)	4 (13%)	0
Disability status	*	*	*	*	*	*	*	*
Has disability	2 (4%)	11 (21%)	3 (13%)	0	3 (6%)	2 (6%)	2 (13%)	

Table 2a: Patient characteristics by clinician group/practice in reliability testing panel (part 3 of 5)

*	Clinician group/practice 17	Clinician group/practice 18	Clinician group/practice 19	Clinician group/practice 20	Clinician group/practice 21	Clinician group/practice 22	Clinician group/practice 23	Clinician group/practice 24
*	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)
Age (in years)	*	*	*	*	*	*	*	*
15-20 years	7 (21%)	3 (11%)	23 (43%)	5 (14%)	15 (39%)	21 (19%)	4 (8%)	7 (16%)
21-30 years	11 (32%)	4 (15%)	17 (31%)	15 (42%)	17 (45%)	29 (27%)	24 (45%)	18 (41%)
31-40 years	6 (18%)	14 (52%)	11 (20%)	11 (31%)	5 (13%)	38 (35%)	21 (40%)	14 (32%)
41+ years	6 (18%)	5 (19%)	1 (2%)	3 (8%)	1 (3%)	17 (16%)	4 (8%)	3 (7%)
Missing	4 (12%)	1 (4%)	2 (4%)	2 (6%)	0	4 (4%)	0	2 (5%)
Race/ethnicity	*	*	*	*	*	*	*	*
Black/African American	6 (18%)	0	37 (68%)	0	7 (18%)	15 (14%)	11 (21%)	5 (11%)
Latina/Hispanic	0	2 (7%)	0	7 (19%)	14 (37%)	27 (25%)	40 (75%)	5 (11%)
White	21 (62%)	22 (82%)	14 (26%)	21 (26%)	15 (39%)	53 (48%)	0	28 (64%)
Asian	0	1 (4%)	0	0	0	4 (4%)	0	0
Native Hawaiian/Pacific Islander	0	0	0	0	0	1 (1%)	0	0
Native American/Alaska Native	0	0	0	1 (3%)	0	0	0	0
Multi-racial	3 (9%)	1 (4%)	1 (4%)	2 (6%)	2 (5%)	8 (7%)	2 (4%)	4 (9%)
Middle Eastern/Arab	0	0	0	0	0	0	0	0
Other	3 (9%)	0	0	0	0	1 (1%)	0	0
Missing	1 (3%)	1 (4%)	1 (4%)	5 (14%)	5 (14%)	0	0	2 (5%)

Language	*	*	*	*	*	*	*	*
English	34 (100%)	27 (100%)	54 (100%)	35 (97%)	27 (71%)	93 (85%)	16 (30%)	42 (95%)
Spanish	0	0	0	1 (3%)	11 (29%)	16 (15%)	37 (70%)	2 (5%)
Other	0	0	0	0	0	0	0	0
Missing	0	0	0	0	0	0	0	0
Sexual orientation	*	*	*	*	*	*	*	*
Heterosexual	20 (59%)	16 (59%)	32 (59%)	26 (72%)	26 (69%)	84 (77%)	34 (64%)	26 (59%)
Not heterosexual	10 (29%)	6 (22%)	15 (28%)	9 (25%)	10 (26%)	17 (16%)	4 (8%)	16 (36%)
Missing	4 (12%)	5 (19%)	7 (13%)	1 (3%)	2 (5%)	8 (7%)	15 (28%)	2 (5%)
Disability status	*	*	*	*	*	*	*	*
Has disability	4 (12%)	6 (22%)	1 (2%)	3 (8%)	0	8 (7%)	0	4 (9%)

Table 2a: Patient characteristics by clinician group/practice in reliability testing panel (part 4 of 5)

*	Clinician group/practice 25	Clinician group/practice 26	Clinician group/practice 27	Clinician group/practice 28	Clinician group/practice 29	Clinician group/practice 30	Clinician group/practice 31	Clinician group/practice 32
*	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)
Age (in years)	*	*	*	*	*	*	*	*
15-20 years	2 (4%)	5 (12%)	45 (55%)	12 (27%)	27 (55%)	11 (28%)	9 (56%)	67 (23%)
21-30 years	20 (35%)	19 (45%)	6 (7%)	21 (47%)	15 (31%)	18 (45%)	4 (25%)	127 (43%)
31-40 years	28 (49%)	9 (21%)	4 (5%)	8 (18%)	2 (4%)	8 (20%)	0	75 (26%)
41+ years	6 (11%)	4 (10%)	1 (1%)	2 (4%)	2 (4%)	0	0	21 (7%)
Missing	1 (2%)	5 (12%)	26 (32%)	2 (4%)	3 (6%)	3 (8%)	3 (19%)	4 (1%)
Race/ethnicity	*	*	*	*	*	*	*	*
Black/African American	10 (18%)	2 (5%)	5 (6%)	15 (33%)	0	8 (20%)	3 (19%)	16 (5%)
Latina/Hispanic	26 (46%)	22 (52%)	44 (54%)	7 (16%)	35 (71%)	14 (35%)	3 (19%)	84 (29%)
White	7 (12%)	44 (54%)	7 (9%)	15 (33%)	3 (6%)	10 (25%)	4 (25%)	139 (47%)
Asian	4 (7%)	7 (9%)	0	0	0	1 (3%)	1 (6%)	6 (2%)
Native Hawaiian/Pacific Islander	1 (2%)	0	0	0	0	0	1 (6%)	0
Native American/Alaska Native	1 (2%)	0	0	0	0	0	0	0

Multi-racial	5 (9%)	0	4 (5%)	4 (9%)	7 (14%)	5 (12%)	1 (6%)	19 (6%)
Middle Eastern/Arab	1 (2%)	5 (12%)	0	0	0	0	0	1 (1%)
Other	1 (2%)	0	0	4 (9%)	1 (2%)	0	0	22 (7%)
Missing	1 (2%)	2 (5%)	22 (27%)	0	3 (6%)	2 (5%)	3 (19%)	7 (2%)
Language	*	*	*	*	*	*	*	*
English	57 (100%)	14 (34%)	75 (91%)	39 (87%)	48 (98%)	38 (95%)	16 (100%)	255 (87%)
Spanish	0	17 (40%)	7 (9%)	2 (4%)	1 (2%)	2 (5%)	0	39 (13%)
Other	0	0	0	4 (9%)	0	0	0	0
Missing	0	11 (26%)	0	0	0	0	0	0
Sexual orientation	*	*	*	*	*	*	*	*
Heterosexual	19 (33%)	10 (24%)	52 (64%)	37 (82%)	24 (60%)	8 (50%)	197 (67%)	30 (63%)
Not heterosexual	33 (58%)	1 (2%)	2 (2%)	5 (11%)	14 (35%)	5 (31%)	79 (27%)	13 (28%)
Missing	5 (9%)	31 (74%)	28 (34%)	3 (7%)	2 (5%)	3 (19%)	18 (6%)	4 (9%)
Disability status	*	*	*	*	*	*	*	*
Has disability	8 (14%)	0	1 (1%)	1 (2%)	3 (6%)	2 (5%)	0	25 (9%)

Table 2a: Patient characteristics by clinician group/practice in reliability testing panel (part 5 of 5)

*	Clinician group/practice 33	Clinician group/practice 34	Clinician group/practice 35
*	n (%)	n (%)	n (%)
Age (in years)	*	*	*
15-20 years	45 (96%)	1 (2%)	15 (38%)
21-30 years	0	18 (37%)	16 (40%)
31-40 years	0	17 (35%)	7 (18%)
41+ years	0	9 (18%)	2 (5%)
Missing	2 (4%)	4 (8%)	0
Race/ethnicity	*	*	*
Black/African American	29 (62%)	10 (20%)	7 (18%)
Latina/Hispanic	9 (19%)	25 (51%)	11 (27%)
White	0	4 (8%)	18 (45%)
Asian	0	1 (2%)	1 (2%)

Native Hawaiian/Pacific Islander	0	0	0
Native American/Alaska Native	1 (2%)	0	0
Multi-racial	8 (17%)	3 (6%)	2 (5%)
Middle Eastern/Arab	0	0	0
Other	0	3 (6%)	0
Missing	0	3 (6%)	1 (2%)
Language	*	*	*
English	38 (81%)	32 (65%)	40 (100%)
Spanish	5 (11%)	12 (24%)	0
Other	4 (8%)	5 (10%)	0
Missing	0	0	0
Sexual orientation	*	*	*
Heterosexual	30 (64%)	35 (72%)	34 (85%)
Not heterosexual	13 (28%)	5 (10%)	4 (10%)
Missing	18 (6%)	9 (18%)	2 (5%)
Disability status	*	*	*
Has disability	41 (87%)	5 (11%)	1 (2%)

Table 2b: Patient characteristics by clinician group/practice in validity testing panel (part 1 of 3)

[illegible]

Middle Eastern/North African	0	0	0	0	0	0	0	0	0	0
Other	0	0	0	2 (1.79)	1 (1.69)	2 (1.65)	1 (0.80)	4 (3.57)	0	1 (2.86)
Multi-racial	0	1 (1.2)	0	0	0	0	0	0	0	0
Sexual orientation	*	*	*	*	*	*	*	*	*	*
Heterosexual or straight	78 (91.76)	73 (87.95)	65 (90.28)	104 (94.55)	51 (89.47)	109 (90.83)	105 (84.68)	99 (91.67)	91 (97.85)	30 (88.24)
Gay or lesbian	1 (1.18)	1 (1.20)	0	0	0	0	0	2 (1.85)	0	0
Bisexual	5 (5.88)	9 (10.84)	6 (8.33)	5 (4.55)	5 (8.77)	11 (9.17)	18 (14.52)	6 (5.56)	2 (2.15)	4 (11.76)
Pansexual or queer	*	*	*	*	*	*	*	*	*	*
Something else	1 (1.18)	0	1 (1.39)	1 (0.91)	1 (1.75)	0	1 (0.93)	1 (0.93)	0	0

Table 2b: Patient characteristics by clinician group/practice in validity testing panel (part 3 of 3)

Total	Clinician group/practice 22 n(%)	Clinician group/practice 23 n (%)	Clinician group/practice 24 n (%)
	AL FQHC 1	AL FQHC 2	AL FQHC 3
Age			
(16)18 – 24 years	7 (15.91)	9 (23.68)	8 (19.51)
25 – 29 years	14 (31.82)	9 (23.68)	11 (26.83)
30 – 34 years	11 (25.00)	5 (13.16)	9 (21.95)
35 – 39 years	6 (13.64)	10 (26.32)	9 (21.95)
40 – 44 years	6 (13.64)	5 (13.16)	4 (9.76)
Race/ethnicity	*	*	*
Hispanic/Latino	4 (8.89)	1 (2.63)	0
White	10 (22.22)	6 (15.79)	3 (7.32)
Black/African American	29 (64.44)	30 (78.95)	35 (18.37)
Native American. Alaskan Native, Inuit	0	0	1 (2.44)
Asian	0	0	0
Native Hawaiian	0	0	0
Pacific Islander	0	0	0

Middle Eastern/North African	0	0	0
Other	2 (4.44)	1 (2.63)	2 (4.88)
Multi-racial	0	0	0
Sexual orientation	*	*	*
Heterosexual or straight	36 (90.00)	31 (86.11)	34 (89.47)
Gay or lesbian	1 (2.50)	1 (2.78)	0
Bisexual	3 (7.50)	4 (11.11)	2 (5.26)
Pansexual or queer	*	*	*
Something else	0	0	2 (5.26)