



Measure Information

This document contains the information submitted by measure developers/stewards, but is organized according to NQF's measure evaluation criteria and process. The item numbers refer to those in the submission form but may be in a slightly different order here. In general, the item numbers also reference the related criteria (e.g., item 1b.1 relates to sub criterion 1b).

Brief Measure Information

NQF #: 0057

Corresponding Measures:

De.2. Measure Title: Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Testing

Co.1.1. Measure Steward: National Committee for Quality Assurance

De.3. Brief Description of Measure: The percentage of patients 18-75 years of age with diabetes (type 1 and type 2) who received an HbA1c test during the measurement year.

1b.1. Developer Rationale: Testing hemoglobin A1c levels in patients with diabetes is an important component of diabetes treatment and care. Results from these tests aids clinicians in providing patients with optimal treatment that will maximize diabetes control and in turn prevent complications of diabetes that threaten to impact quality of life.

S.4. Numerator Statement: Patients who had an HbA1c test performed during the measurement year.

S.6. Denominator Statement: Patients 18-75 years of age by the end of the measurement year who had a diagnosis of diabetes (type 1 or type 2) during the measurement year or the year prior to the measurement year.

S.8. Denominator Exclusions: Exclude patients who use hospice services or elect to use a hospice benefit any time during the measurement year, regardless of when the services began.

Exclusions (optional):

-Members who do not have a diagnosis of diabetes in any setting, during the measurement year or the year prior to the measurement year and who had a diagnosis of gestational diabetes or steroid-induced diabetes in any setting, during the measurement year or the year prior to the measurement year.

De.1. Measure Type: Process

S.17. Data Source: Claims, Electronic Health Data, Paper Medical Records

S.20. Level of Analysis: Health Plan

IF Endorsement Maintenance – Original Endorsement Date: Aug 10, 2009 **Most Recent Endorsement Date:** Oct 25, 2018

IF this measure is included in a composite, NQF Composite#/title:

0731:Comprehensive Diabetes Care

IF this measure is paired/grouped, NQF#/title:

De.4. IF PAIRED/GROUPED, what is the reason this measure must be reported with other measures to appropriately interpret results? N/A

1. Evidence, Performance Gap, Priority – Importance to Measure and Report

Extent to which the specific measure focus is evidence-based, important to making significant gains in healthcare quality, and improving health outcomes for a specific high-priority (high-impact) aspect of healthcare where there is variation in or overall less-than-optimal performance. **Measures must be judged to meet all sub criteria to pass this criterion and be evaluated against the remaining criteria.**

1a. Evidence to Support the Measure Focus – See attached Evidence Submission Form

nqf_evidence_0057_HbA1c_Testing_7.1.docx

1a.1 For Maintenance of Endorsement: Is there new evidence about the measure since the last update/submission?

Do not remove any existing information. If there have been any changes to evidence, the Committee will consider the new evidence. Please use the most current version of the evidence attachment (v7.1). Please use red font to indicate updated evidence.

No

1b. Performance Gap

Demonstration of quality problems and opportunity for improvement, i.e., data demonstrating:

- considerable variation, or overall less-than-optimal performance, in the quality of care across providers; and/or
- Disparities in care across population groups.

1b.1. Briefly explain the rationale for this measure (e.g., how the measure will improve the quality of care, the benefits or improvements in quality envisioned by use of this measure)

If a COMPOSITE (e.g., combination of component measure scores, all-or-none, any-or-none), SKIP this question and answer the composite questions.

Testing hemoglobin A1c levels in patients with diabetes is an important component of diabetes treatment and care. Results from these tests aids clinicians in providing patients with optimal treatment that will maximize diabetes control and in turn prevent complications of diabetes that threaten to impact quality of life.

1b.2. Provide performance scores on the measure as specified (current and over time) at the specified level of analysis. *(This is required for maintenance of endorsement. Include mean, std dev, min, max, interquartile range, scores by decile. Describe the data source including number of measured entities; number of patients; dates of data; if a sample, characteristics of the entities include.) This information also will be used to address the sub-criterion on improvement (4b1) under Usability and Use.*

HEDIS

The following data are extracted from HEDIS data collection reflecting the most recent years of reporting for this measure. Performance data is summarized at the health plan level and summarized by mean, standard deviation, minimum health plan performance, maximum health plan performance and performance at the 10th, 25th, 50th, 75th and 90th percentile. Data is stratified by year and product line (i.e. commercial, Medicaid, and Medicare).

Comprehensive Diabetes Care: HbA1c Testing

N= Number of plans reporting

Commercial Rate

YEAR|N|MEAN|ST DEV|MIN|10TH|25TH|50TH|75TH|90TH|MAX

2014| 412| 89.42%| 3.73%| 73.61%| 85.19%| 87.13%| 89.55%| 92.07%| 97.83%

2015| 126| 89.47%| 5.79%| 0.00%| 85.40%| 87.76%| 90.08%| 92.15%| 94.16%| 97.33%

2016| 413| 89.91%| 3.53%| 73.77%| 85.49%| 87.87%| 90.24%| 92.21%| 94.34%| 97.08%

Medicaid Rate

YEAR|N|MEAN|ST DEV|MIN|10TH|25TH|50TH|75TH|90TH|MAX

2014| 223| 86.31%| 4.84%| 70.80%| 80.29%| 83.19%| 86.20%| 89.55%| 91.94%| 98.63%

2015| 263| 85.95%| 5.34%| 65.22%| 79.56%| 82.98%| 85.95%| 89.43%| 92.88%| 100.00%

2016| 270| 86.66%| 5.66%| 49.37%| 80.95%| 84.32%| 87.10%| 90.05%| 92.78%| 100.00%

Medicare Rate

YEAR|N|MEAN|ST DEV|MIN|10TH|25TH|50TH|75TH|90TH|MAX

2014| 475| 92.72%| 4.17%| 60.00%| 89.05%| 91.06%| 93.27%| 95.30%| 96.80%| 98.97%

2015| 461| 93.10%| 3.81%| 61.43%| 89.29%| 91.84%| 93.69%| 95.22%| 96.84%| 100.00%

2016| 472| 93.54%| 3.38%| 61.69%| 89.61%| 91.97%| 93.99%| 95.62%| 97.07%| 100.00%

1b.3. If no or limited performance data on the measure as specified is reported in 1b2, then provide a summary of data from the literature that indicates opportunity for improvement or overall less than optimal performance on the specific focus of measurement.

N/A

1b.4. Provide disparities data from the measure as specified (current and over time) by population group, e.g., by race/ethnicity, gender, age, insurance status, socioeconomic status, and/or disability. *(This is required for maintenance of endorsement. Describe the data source including number of measured entities; number of patients; dates of data; if a sample, characteristics of the entities included.) For measures that show high levels of performance, i.e., “topped out”, disparities data may demonstrate an opportunity for improvement/gap in care for certain sub-populations. This information also will be used to address the sub-criterion on improvement (4b1) under Usability and Use.*

HEDIS data is stratified by type of insurance (e.g. Commercial, Medicaid, Medicare). NCQA does not currently collect performance data stratified by race, ethnicity, or language. Escare et al. have described in detail the difficulty of collecting valid data on race, ethnicity and language at the health plan level (Escare 2011). While not specified in the measure, this measure can also be stratified by demographic variables, such as race/ethnicity or socioeconomic status, in order to assess the presence of health care disparities. The HEDIS Health Plan Measure Set contains two measures that can assist with stratification to assess health care disparities. The Race/Ethnicity Diversity of Membership and the Language Diversity of Membership were designed to promote standardized methods for collecting these data. These measures follow Office of Management and Budget and Institute of Medicine guidelines for collecting and categorizing race/ethnicity and language data. In addition, NCQA’s Multicultural Health Care Distinction Program outlines standards for collecting, storing and using race/ethnicity and language data to assess health care disparities. Based on extensive work by NCQA to understand how to promote culturally and linguistically appropriate services among plans and providers, we have many examples of how health plans have used HEDIS measures to design quality improvement programs to decrease disparities in care.

1b.5. If no or limited data on disparities from the measure as specified is reported in 1b.4, then provide a summary of data from the literature that addresses disparities in care on the specific focus of measurement. Include citations. Not necessary if performance data provided in 1b.4

Between 2000 and 2010, the CDC monitored the percentage rates of diabetic adults over age 18 that received two or more hemoglobin A1c (HbA1c) tests within the last year. The rates were monitored based on race/ethnicity, sex, age, and education level. The most recent data shows Hispanics with the lowest rates of HbA1c tests at 63.7% (CDC, 2012). Whites and Blacks had nearly equal percentages at 73.4% and 73.1%, respectively (CDC, 2012). The most recent data for the percentage of A1c testing, based on education level, was highest in people with an education above high school (72.8%) (CDC, 2012). The percentage of high school-educated adults with A1c tests was 67.5% and 54.4% in adults with less than a high school education (CDC, 2012). Since 2000, diabetic adults who attained higher than a high school degree have consistently reported having frequent number of A1c tests, compared to diabetic adults with less than a high school education. However, in 2008 and 2009, more diabetic adults with less than a high school education reported having frequent A1c testing compared to high school educated adults (CDC, 2012). In 2010, the highest percentage of A1c tests based on age was seen in the 65-74 age group (78.2%), followed by the over 75 age group (75.7%) (CDC, 2012). Adults in the 45-64 and 18-44 age groups had the lowest percentages for A1c tests at 72.4% and 63.5%, respectively (CDC, 2012). Based on data from the CDC, women receive A1c tests at higher rates than men. In 2010, 74% of diabetic women had two or more A1c tests in the past year (CDC, 2012). Only 71.5% of men had two or more A1c tests in 2010.

Centers for Disease Control and Prevention. 2012. CDC’s Diabetes Program-Data and Trends-Prevalence of Diabetes-Percent of 2 or More A1c Tests in the Last Year for Adults Aged = 18 Years by Race/Ethnicity. Retrieved from https://www.cdc.gov/diabetes/statistics/preventive/fy_ac1test.htm.

2. Reliability and Validity—Scientific Acceptability of Measure Properties

Extent to which the measure, as specified, produces consistent (reliable) and credible (valid) results about the quality of care when implemented. **Measures must be judged to meet the sub criteria for both reliability and validity to pass this criterion and be evaluated against the remaining criteria.**

2a.1. Specifications The measure is well defined and precisely specified so it can be implemented consistently within and across organizations and allows for comparability. eMeasures should be specified in the Health Quality Measures Format (HQMF) and the Quality Data Model (QDM).

De.5. Subject/Topic Area *(check all the areas that apply):*
Endocrine, Endocrine : Diabetes

De.6. Non-Condition Specific *(check all the areas that apply):*

De.7. Target Population Category (Check all the populations for which the measure is specified and tested if any):

[Populations at Risk](#)

S.1. Measure-specific Web Page (Provide a URL link to a web page specific for this measure that contains current detailed specifications including code lists, risk model details, and supplemental materials. Do not enter a URL linking to a home page or to general information.)

[N/A](#)

S.2a. If this is an eMeasure, HQMF specifications must be attached. Attach the zipped output from the eMeasure authoring tool (MAT) - if the MAT was not used, contact staff. (Use the specification fields in this online form for the plain-language description of the specifications)

[This is not an eMeasure](#) **Attachment:**

S.2b. Data Dictionary, Code Table, or Value Sets (and risk model codes and coefficients when applicable) must be attached. (Excel or csv file in the suggested format preferred - if not, contact staff)

Attachment Attachment: [0057_CDC_HbA1c_Testing_Value_Set_.xlsx](#)

S.2c. Is this an instrument-based measure (i.e., data collected via instruments, surveys, tools, questionnaires, scales, etc.)? Attach copy of instrument if available.

[No, this is not an instrument-based measure](#) **Attachment:**

S.2d. Is this an instrument-based measure (i.e., data collected via instruments, surveys, tools, questionnaires, scales, etc.)? Attach copy of instrument if available.

[Not an instrument-based measure](#)

S.3.1. For maintenance of endorsement: Are there changes to the specifications since the last updates/submission. If yes, update the specifications for S1-2 and S4-22 and explain reasons for the changes in S3.2.

[No](#)

S.3.2. For maintenance of endorsement, please briefly describe any important changes to the measure specifications since last measure update and explain the reasons.

[N/A](#)

S.4. Numerator Statement (Brief, narrative description of the measure focus or what is being measured about the target population, i.e., cases from the target population with the target process, condition, event, or outcome) **DO NOT** include the rationale for the measure.

[If an OUTCOME MEASURE](#), state the outcome being measured. Calculation of the risk-adjusted outcome should be described in the calculation algorithm (S.14).

[Patients who had an HbA1c test performed during the measurement year.](#)

S.5. Numerator Details (All information required to identify and calculate the cases from the target population with the target process, condition, event, or outcome such as definitions, time period for data collection, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format at S.2b)

[If an OUTCOME MEASURE](#), describe how the observed outcome is identified/counted. Calculation of the risk-adjusted outcome should be described in the calculation algorithm (S.14).

ADMINISTRATIVE CLAIMS: [An HbA1c test \(HbA1c Tests Value Set\)](#) performed during the measurement year, as identified by claim/encounter or automated laboratory data.

[Due to the extensive volume of codes associated with identifying numerator events for this measure, we are attaching a separate file with code value sets. See code value sets located in question S.2b.](#)

MEDICAL RECORD: [At a minimum, documentation in the medical record must include a note indicating the date when the HbA1c test was performed and the result or finding. Count notation of the following in the medical record:](#)

- A1c.
- HbA1c
- HgbA1c.
- Hemoglobin A1c.
- Glycohemoglobin A1c.
- Glycohemoglobin.
- Glycated hemoglobin.
- Glycosylated hemoglobin.

S.6. Denominator Statement *(Brief, narrative description of the target population being measured)*

Patients 18-75 years of age by the end of the measurement year who had a diagnosis of diabetes (type 1 or type 2) during the measurement year or the year prior to the measurement year.

S.7. Denominator Details *(All information required to identify and calculate the target population/denominator such as definitions, time period for data collection, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format at S.2b.)*

IF an OUTCOME MEASURE, describe how the target population is identified. Calculation of the risk-adjusted outcome should be described in the calculation algorithm (S.14).

Patients with diabetes can be identified two ways:

-CLAIM/ENCOUNTER DATA: Patients who had two face-to-face encounters, in an outpatient setting or nonacute inpatient setting, or ED setting on different dates of service, with a diagnosis of diabetes, or one face-to-face encounter in an acute inpatient, with a diagnosis of diabetes, during the measurement year or the year prior to the measurement year. Organizations may count services that occur over both years.

*SEE ATTACHED EXCEL FILE FOR CODE VALUE SETS INCLUDED IN QUESTION S.2B

-PHARMACY DATA: Patients who were dispensed insulin or hypoglycemics/antihyperglycemics on an ambulatory basis during the measurement year or the year prior to the measurement year.

PRESCRIPTIONS TO IDENTIFY PATIENTS WITH DIABETES (TABLE CDC-A):

Alpha-glucosidase inhibitors:

Acarbose, Miglitol

Amylin analogs:

Pramlintide

Antidiabetic combinations:

Alogliptin-metformin, Alogliptin-pioglitazone, Canagliflozin-metformin, Dapagliflozin-metformin, Empagliflozin-linagliptin, Empagliflozin-metformin, Glimepiride-pioglitazone, Glimepiride-rosiglitazone, Glipizide-metformin, Glyburide-metformin, Linagliptin-metformin, Metformin-pioglitazone, Metformin-repaglinide, Metformin-rosiglitazone, Metformin-saxagliptin, Metformin-sitagliptin, Sitagliptin-simvastatin

Insulin:

Insulin aspart, Insulin aspart-insulin aspart protamine, insulin degludec, Insulin detemir, Insulin glargine, Insulin glulisine, Insulin isophane human, Insulin isophane-insulin regular, Insulin lispro, Insulin lispro-insulin lispro protamine, Insulin regular human, insulin human inhaled

Meglitinides:

Nateglinide, Repaglinide

Glucagon-like peptide-1 (GLP1) agonists:

Dulaglutide, Exenatide, Liraglutide, Albiglutide

Sodium glucose cotransporter 2 (SGLT2) inhibitor:

Canagliflozin, Dapagliflozin, Empagliflozin

Sulfonylureas:

Chlorpropamide, Glimepiride, Glipizide, Glyburide, Tolazamide, Tolbutamide

Thiazolidinediones:

Pioglitazone, Rosiglitazone

Dipeptidyl peptidase-4 (DDP-4) inhibitors:

Alogliptin, Linagliptin, Saxagliptin, Sitagliptin

S.8. Denominator Exclusions *(Brief narrative description of exclusions from the target population)*

Exclude patients who use hospice services or elect to use a hospice benefit any time during the measurement year, regardless of when the services began.

Exclusions (optional):

-Members who do not have a diagnosis of diabetes in any setting, during the measurement year or the year prior to the measurement year and who had a diagnosis of gestational diabetes or steroid-induced diabetes in any setting, during the measurement year or the year prior to the measurement year.

S.9. Denominator Exclusion Details *(All information required to identify and calculate exclusions from the denominator such as definitions, time period for data collection, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format at S.2b.)*

ADMINISTRATIVE CLAIMS:

Exclude patients who use hospice services or elect to use a hospice benefit any time during the measurement year, regardless of when the services began. These patients may be identified using various methods, which may include but are not limited to enrollment data, medical record or claims/encounter data (Hospice Value Set).

ADMINISTRATIVE CLAIMS: Due to the extensive volume of codes associated with identifying the denominator for this measure, we are attaching a separate file with code value sets. See code value sets located in question S.2b.

MEDICAL RECORD:

-Exclusionary evidence in the medical record must include a note indicating the patient did not have a diagnosis of diabetes, in any setting, during the measurement year or the year prior to the measurement year and had a diagnosis of polycystic ovaries any time in the patient's history through December 31 of the measurement year.

OR

-Exclusionary evidence in the medical record must include a note indicating the patient did not have a diagnosis of diabetes, in any setting, during the measurement year or the year prior to the measurement year and a diagnosis of gestational or steroid-induced diabetes, in any setting, during the measurement year or the year prior to the measurement year.

S.10. Stratification Information *(Provide all information required to stratify the measure results, if necessary, including the stratification variables, definitions, specific data collection items/responses, code/value sets, and the risk-model covariates and coefficients for the clinically-adjusted version of the measure when appropriate – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format with at S.2b.)*

N/A

S.11. Risk Adjustment Type (Select type. Provide specifications for risk stratification in measure testing attachment)

No risk adjustment or risk stratification

If other:

S.12. Type of score:

Rate/proportion

If other:

S.13. Interpretation of Score *(Classifies interpretation of score according to whether better quality is associated with a higher score,*

a lower score, a score falling within a defined interval, or a passing score)

Better quality = Higher score

S.14. Calculation Algorithm/Measure Logic (Diagram or describe the calculation of the measure score as an ordered sequence of steps including identifying the target population; exclusions; cases meeting the target process, condition, event, or outcome; time period for data, aggregating data; risk adjustment; etc.)

STEP 1. Determine the eligible population. To do so, identify patients who meet all the specified criteria.

-AGES: 18-75 years as of December 31 of the measurement year.

-EVENT/DIAGNOSIS: Identify patients with diabetes in two ways: by claim/encounter data and by pharmacy data.

Claim/Encounter Data:

-Patients who had at least two outpatient visits, observation visits or nonacute inpatient encounters on different dates of service, with a diagnosis of diabetes. Visit type need not be the same for the two visits.

-Patients with at least one acute inpatient encounter with a diagnosis of diabetes.

-Patients with at least one ED visit with a diagnosis of diabetes.

*SEE ATTACHED EXCEL FILE FOR CODE VALUE SETS INCLUDED IN QUESTION S.2B

Pharmacy Data:

Patients who were dispensed insulin or hypoglycemics/antihyperglycemics on an ambulatory basis during the measurement year or the year prior to the measurement year. *SEE PRESCRIPTIONS TO IDENTIFY PATIENTS WITH DIABETES IN S.7

STEP 2. Determine the number of patients in the eligible population who had a recent HbA1c test during the measurement year through the search of administrative data systems.

STEP 3. Identify patients with a most recent HbA1c test performed.

STEP 4. Identify the most recent HbA1c test with result (numerator compliant). Identify a missing result or no HbA1c test done during the measurement year (not numerator compliant).

STEP 5. Exclude from the eligible population patients from step 2 for whom administrative system data identified an exclusion to the service/procedure being measured. *SEE DENOMINATOR EXCLUSION CRITERIA IN QUESTION S.8

STEP 6. Calculate the rate (number of patients that had an HbA1c test).

S.15. Sampling (If measure is based on a sample, provide instructions for obtaining the sample and guidance on minimum sample size.)

IF an instrument-based performance measure (e.g., PRO-PM), identify whether (and how) proxy responses are allowed.

N/A

S.16. Survey/Patient-reported data (If measure is based on a survey or instrument, provide instructions for data collection and guidance on minimum response rate.)

Specify calculation of response rates to be reported with performance measure results.

N/A

S.17. Data Source (Check ONLY the sources for which the measure is SPECIFIED AND TESTED).

If other, please describe in S.18.

Claims, Electronic Health Data, Paper Medical Records

S.18. Data Source or Collection Instrument (Identify the specific data source/data collection instrument (e.g. name of database, clinical registry, collection instrument, etc., and describe how data are collected.)

IF instrument-based, identify the specific instrument(s) and standard methods, modes, and languages of administration.

This measure is based on administrative claims and medical record documentation collected in the course of providing care to health plan members. NCQA collects the Healthcare Effectiveness Data and Information Set (HEDIS) data for this measure directly from Health Management Organizations and Preferred Provider Organizations via NCQA's online data submission system.

S.19. Data Source or Collection Instrument (available at measure-specific Web page URL identified in S.1 OR in attached appendix at A.1)

No data collection instrument provided

S.20. Level of Analysis (Check ONLY the levels of analysis for which the measure is SPECIFIED AND TESTED)

Health Plan

S.21. Care Setting (Check *ONLY* the settings for which the measure is SPECIFIED AND TESTED)

Outpatient Services

If other:

S.22. COMPOSITE Performance Measure - Additional Specifications (Use this section as needed for aggregation and weighting rules, or calculation of individual performance measures if not individually endorsed.)

N/A

2. Validity – See attached Measure Testing Submission Form

[NQF_Testing_0057_HbA1c_Testing_7.1_updated_4.18.18.docx](#)

2.1 For maintenance of endorsement

Reliability testing: If testing of reliability of the measure score was not presented in prior submission(s), has reliability testing of the measure score been conducted? If yes, please provide results in the Testing attachment. Please use the most current version of the testing attachment (v7.1). Include information on all testing conducted (prior testing as well as any new testing); use red font to indicate updated testing.

No

2.2 For maintenance of endorsement

Has additional empirical validity testing of the measure score been conducted? If yes, please provide results in the Testing attachment. Please use the most current version of the testing attachment (v7.1). Include information on all testing conducted (prior testing as well as any new testing); use red font to indicate updated testing.

No

2.3 For maintenance of endorsement

Risk adjustment: For outcome, resource use, cost, and some process measures, risk-adjustment that includes social risk factors is not prohibited at present. Please update sections 1.8, 2a2, 2b1,2b4.3 and 2b5 in the Testing attachment and S.140 and S.11 in the online submission form. NOTE: These sections must be updated even if social risk factors are not included in the risk-adjustment strategy. You MUST use the most current version of the Testing Attachment (v7.1) -- older versions of the form will not have all required questions.

No - This measure is not risk-adjusted

3. Feasibility

Extent to which the specifications including measure logic, require data that are readily available or could be captured without undue burden and can be implemented for performance measurement.

3a. Byproduct of Care Processes

For clinical measures, the required data elements are routinely generated and used during care delivery (e.g., blood pressure, lab test, diagnosis, medication order).

3a.1. Data Elements Generated as Byproduct of Care Processes.

Generated or collected by and used by healthcare personnel during the provision of care (e.g., blood pressure, lab value, diagnosis, depression score), Coded by someone other than person obtaining original information (e.g., DRG, ICD-9 codes on claims), Abstracted from a record by someone other than person obtaining original information (e.g., chart abstraction for quality measure or registry)

If other:

3b. Electronic Sources

The required data elements are available in electronic health records or other electronic sources. If the required data are not in electronic health records or existing electronic sources, a credible, near-term path to electronic collection is specified.

3b.1. To what extent are the specified data elements available electronically in defined fields (i.e., data elements that are needed to compute the performance measure score are in defined, computer-readable fields) Update this field for maintenance of

endorsement.

Some data elements are in defined fields in electronic sources

3b.2. If ALL the data elements needed to compute the performance measure score are not from electronic sources, specify a credible, near-term path to electronic capture, OR provide a rationale for using other than electronic sources. For maintenance of endorsement, if this measure is not an eMeasure (eCQM), please describe any efforts to develop an eMeasure (eCQM).

To allow for widespread reporting across health plans and health care practices, this measure is collected through multiple data sources (administrative data, electronic clinical data, and paper records). We anticipate as electronic health records become more widespread the reliance on paper record review will decrease.

3b.3. If this is an eMeasure, provide a summary of the feasibility assessment in an attached file or make available at a measure-specific URL. Please also complete and attach the NQF Feasibility Score Card.

Attachment:

3c. Data Collection Strategy

Demonstration that the data collection strategy (e.g., source, timing, frequency, sampling, patient confidentiality, costs associated with fees/licensing of proprietary measures) can be implemented (e.g., already in operational use, or testing demonstrates that it is ready to put into operational use). For eMeasures, a feasibility assessment addresses the data elements and measure logic and demonstrates the eMeasure can be implemented or feasibility concerns can be adequately addressed.

3c.1. Required for maintenance of endorsement. Describe difficulties (as a result of testing and/or operational use of the measure) regarding data collection, availability of data, missing data, timing and frequency of data collection, sampling, patient confidentiality, time and cost of data collection, other feasibility/implementation issues.

IF instrument-based, consider implications for both individuals providing data (patients, service recipients, respondents) and those whose performance is being measured.

NCQA recognizes that, despite the clear specifications defined for HEDIS measures, data collection and calculation methods may vary, and other errors may taint the results, diminishing the usefulness of HEDIS data for managed care organization (MCO) comparison. In order for HEDIS to reach its full potential, NCQA conducts an independent audit of all HEDIS collection and reporting processes, as well as an audit of the data which are manipulated by those processes, in order to verify that HEDIS specifications are met. NCQA has developed a precise, standardized methodology for verifying the integrity of HEDIS collection and calculation processes through a two-part program consisting of an overall information systems capabilities assessment followed by an evaluation of the MCO's ability to comply with HEDIS specifications. NCQA-certified auditors using standard audit methodologies will help enable purchasers to make more reliable "apples-to-apples" comparisons between health plans.

The HEDIS Compliance Audit addresses the following functions:

- 1) information practices and control procedures
- 2) sampling methods and procedures
- 3) data integrity
- 4) compliance with HEDIS specifications
- 5) analytic file production
- 6) reporting and documentation

In addition to the HEDIS Audit, NCQA provides a system to allow "real-time" feedback from measure users. Our Policy Clarification Support System receives thousands of inquiries each year on over 100 measures. Through this system NCQA responds immediately to questions and identifies possible errors or inconsistencies in the implementation of the measure. This system is vital to the regular re-evaluation of NCQA measures.

Input from NCQA auditing and the Policy Clarification Support System informs the annual updating of all HEDIS measures including updating value sets and clarifying the specifications. Measures are re-evaluated on a periodic basis and when there is a significant change in evidence. During re-evaluation information from NCQA auditing and Policy Clarification Support System is used to inform evaluation of the scientific soundness and feasibility of the measure.

3c.2. Describe any fees, licensing, or other requirements to use any aspect of the measure as specified (e.g., value/code set, risk model, programming code, algorithm).

N/A

4. Usability and Use

Extent to which potential audiences (e.g., consumers, purchasers, providers, policy makers) are using or could use performance results for both accountability and performance improvement to achieve the goal of high-quality, efficient healthcare for individuals or populations.

4a. Accountability and Transparency

Performance results are used in at least one accountability application within three years after initial endorsement and are publicly reported within six years after initial endorsement (or the data on performance results are available). If not in use at the time of initial endorsement, then a credible plan for implementation within the specified timeframes is provided.

4.1. Current and Planned Use

NQF-endorsed measures are expected to be used in at least one accountability application within 3 years and publicly reported within 6 years of initial endorsement in addition to performance improvement.

Specific Plan for Use	Current Use (for current use provide URL)
	Public Reporting Health Plan Rating http://reportcard.ncqa.org/plan/external/plansearch.aspx Annual State of Health Care Quality http://www.ncqa.org/tabid/836/Default.aspx Health Plan Rating http://reportcard.ncqa.org/plan/external/plansearch.aspx Annual State of Health Care Quality http://www.ncqa.org/tabid/836/Default.aspx Payment Program IHA California Pay for Performance http://www.iha.org/manuals_operations_2014.html Regulatory and Accreditation Programs NCQA Accreditation http://www.ncqa.org/tabid/123/Default.aspx Accountable Care Organizations (ACO) http://www.ncqa.org/Programs/Accreditation/AccountableCareOrganizationACO.aspx NCQA Accreditation http://www.ncqa.org/tabid/123/Default.aspx Accountable Care Organizations (ACO) http://www.ncqa.org/Programs/Accreditation/AccountableCareOrganizationACO.aspx Professional Certification or Recognition Program NCQA Diabetes Recognition Program http://www.ncqa.org/Programs/Recognition/DiabetesRecognitionProgramDRP.aspx Quality Improvement (external benchmarking to organizations) Quality Compass http://www.ncqa.org/tabid/177/Default.aspx Annual State of Health Care Quality: http://www.ncqa.org/tabid/836/Default.aspx

4a1.1 For each CURRENT use, checked above (update for maintenance of endorsement), provide:

- Name of program and sponsor

- Purpose
- Geographic area and number and percentage of accountable entities and patients included
- Level of measurement and setting

STATE OF HEALTH CARE ANNUAL REPORT: This measure is publicly reported nationally and by geographic regions in the NCQA State of Health Care annual report. This annual report published by NCQA summarizes findings on quality of care. In 2017, the report included results from calendar year 2016 for health plans covering a record 136 million people, or 43 percent of the U.S. population.

HEALTH PLAN RANKINGS/REPORT CARDS: This measure is used to calculate health plan rankings which are reported in Consumer Reports and on the NCQA website. These rankings are based on performance on HEDIS measures among other factors. In 2016, a total of 472 Medicare Advantage health plans, 413 commercial health plans and 270 Medicaid health plans across 50 states were included in the rankings.

QUALITY COMPASS: This measure is used in Quality Compass which is an indispensable tool used for selecting a health plan, conducting competitor analysis, examining quality improvement and benchmarking plan performance. Provided in this tool is the ability to generate custom reports by selecting plans, measures, and benchmarks (averages and percentiles) for up to three trended years. Results in table and graph formats offer simple comparison of plans' performance against competitors or benchmarks.

ACCOUNTABLE CARE ORGANIZATION ACCREDITATION: This measure is used in NCQA's ACO Accreditation program, that helps health care organizations demonstrate their ability to improve quality, reduce costs and coordinate patient care. ACO standards and guidelines incorporate whole-person care coordination throughout the health care system.

DIABETES RECOGNITION PROGRAM: This measure is used NCQA's Diabetes Recognition Program (DRP) that assesses clinician performance on key quality measures that are based on national evidence based guidelines in diabetes care. The DRP Program has 11 measures which cover other areas such as: HbA1c Control, Blood Pressure Control, LDL Control, Eye Examinations, Nephropathy Assessment, Smoking and Tobacco Use and Cessation advice or treatment. Eligible clinicians will abstract data from the charts of diabetes patients (25 patients for a single applicant) and submit this information to NCQA for review.

HEALTH PLAN ACCREDITATION: This measure is used in scoring for accreditation of commercial, Medicaid, and Medicare health plans. As of Fall 2017, a total of 184 Medicare Advantage health plans were accredited using this measure among others covering 9.2 million Medicare beneficiaries; 451 commercial health plans covering 113 million lives; and 125 Medicaid health plans covering 35 million lives. Health plans are scored based on performance compared to benchmarks.

INTEGRATED HEALTHCARE ASSOCIATION (IHA) CALIFORNIA PAY FOR PERFORMANCE: This measure is used in the California P4P program which is the largest non-governmental physician incentive program in the United States. Founded in 2001, it is managed by the Integrated Healthcare Association (IHA) on behalf of eight health plans representing 10 million insured persons. IHA is responsible for collecting data, deploying a common measure set, and reporting results for approximately 35,000 physicians in nearly 200 physician groups. This program represents the longest running U.S. example of data aggregation and standardized results reporting across diverse regions and multiple health plans. California consumers benefit from the availability of standardized performance results from a common measure set, which are available to the public through the State of California, Office of the Patient Advocate

4a1.2. If not currently publicly reported OR used in at least one other accountability application (e.g., payment program, certification, licensing) what are the reasons? (e.g., Do policies or actions of the developer/steward or accountable entities restrict access to performance results or impede implementation?)

N/A

4a1.3. If not currently publicly reported OR used in at least one other accountability application, provide a credible plan for implementation within the expected timeframes -- any accountability application within 3 years and publicly reported within 6 years of initial endorsement. (Credible plan includes the specific program, purpose, intended audience, and timeline for implementing the measure within the specified timeframes. A plan for accountability applications addresses mechanisms for data aggregation and reporting.)

N/A

4a2.1.1. Describe how performance results, data, and assistance with interpretation have been provided to those being measured or other users during development or implementation.

How many and which types of measured entities and/or others were included? If only a sample of measured entities were included, describe the full population and how the sample was selected.

Health plans that report HEDIS calculate their rates and know their performance when submitting to NCQA. NCQA publicly reports rates across all plans and creates benchmarks in order to help plans understand how they perform relative to other plans. Public reporting and benchmarking are effective quality improvement methods.

4a2.1.2. Describe the process(es) involved, including when/how often results were provided, what data were provided, what educational/explanatory efforts were made, etc.

NCQA publishes HEDIS results annually in our Quality Compass tool. NCQA also presents data at various conferences and webinars. For example, at the annual HEDIS Update and Best Practices Conference, NCQA presents results from all new measures' first year of implementation or analyses from measures that have changed significantly. NCQA also regularly provides technical assistance on measures through its Policy Clarification Support System, as described in Section 3c.1.

4a2.2.1. Summarize the feedback on measure performance and implementation from the measured entities and others described in 4d.1.

Describe how feedback was obtained.

NCQA measures are evaluated regularly using a consensus-based process to consider input from multiple stakeholders, including but not limited to entities being measured. We use several methods to obtain input, including vetting of the measure with several multi-stakeholder advisory panels, public comment posting, and review of questions submitted to the Policy Clarification Support System. This information enables NCQA to comprehensively assess a measure's adherence to the HEDIS Desirable Attributes of Relevance, Scientific Soundness and Feasibility.

4a2.2.2. Summarize the feedback obtained from those being measured.

This is a long-standing, well-understood measure so NCQA receives very few questions or requests for clarification about it. Questions received through the Policy Clarification Support system have generally centered around clarification on what types of HbA1c laboratory tests qualify for numerator compliance.

4a2.2.3. Summarize the feedback obtained from other users

This measure has been deemed a priority measure by NCQA and other entities, as illustrated by its use in programs such as the Annual State of Healthcare Quality and the Qualified Health Plan Quality Rating System.

4a2.3. Describe how the feedback described in 4a2.2.1 has been considered when developing or revising the measure specifications or implementation, including whether the measure was modified and why or why not.

Feedback has not required modification to this measure.

Improvement

Progress toward achieving the goal of high-quality, efficient healthcare for individuals or populations is demonstrated. If not in use for performance improvement at the time of initial endorsement, then a credible rationale describes how the performance results could be used to further the goal of high-quality, efficient healthcare for individuals or populations.

4b1. Refer to data provided in 1b but do not repeat here. Discuss any progress on improvement (trends in performance results, number and percentage of people receiving high-quality healthcare; Geographic area and number and percentage of accountable entities and patients included.)

If no improvement was demonstrated, what are the reasons? If not in use for performance improvement at the time of initial endorsement, provide a credible rationale that describes how the performance results could be used to further the goal of high-quality, efficient healthcare for individuals or populations.

Since 2010, this measure has reported stable and high levels of performance on average (see section 1b.2 for summary of data from commercial, Medicaid, and Medicare Health Plans). In 2016, a total of 472 Medicare Advantage health plans, 413 commercial health plans and 270 Medicaid health plans across 50 states reported data on this measure. These data are nationally representative.

4b2. Unintended Consequences

The benefits of the performance measure in facilitating progress toward achieving high-quality, efficient healthcare for individuals or populations outweigh evidence of unintended negative consequences to individuals or populations (if such evidence exists).

4b2.1. Please explain any unexpected findings (positive or negative) during implementation of this measure including unintended impacts on patients.

There were no identified unexpected findings during testing or since implementation of this measure.

4b2.2. Please explain any unexpected benefits from implementation of this measure.

There were no identified unexpected benefits during testing or since implementation of this measure.

5. Comparison to Related or Competing Measures

If a measure meets the above criteria and there are endorsed or new related measures (either the same measure focus or the same target population) or competing measures (both the same measure focus and the same target population), the measures are compared to address harmonization and/or selection of the best measure.

5. Relation to Other NQF-endorsed Measures

Are there related measures (conceptually, either same measure focus or target population) or competing measures (conceptually both the same measure focus and same target population)? If yes, list the NQF # and title of all related and/or competing measures.

No

5.1a. List of related or competing measures (selected from NQF-endorsed measures)

5.1b. If related or competing measures are not NQF endorsed please indicate measure title and steward.

5a. Harmonization of Related Measures

The measure specifications are harmonized with related measures;

OR

The differences in specifications are justified

5a.1. If this measure conceptually addresses EITHER the same measure focus OR the same target population as NQF-endorsed measure(s):

Are the measure specifications harmonized to the extent possible?

No

5a.2. If the measure specifications are not completely harmonized, identify the differences, rationale, and impact on interpretability and data collection burden.

N/A

5b. Competing Measures

The measure is superior to competing measures (e.g., is a more valid or efficient way to measure);

OR

Multiple measures are justified.

5b.1. If this measure conceptually addresses both the same measure focus and the same target population as NQF-endorsed measure(s):

Describe why this measure is superior to competing measures (e.g., a more valid or efficient way to measure quality); OR provide a rationale for the additive value of endorsing an additional measure. (Provide analyses when possible.)

N/A

Appendix

A.1 Supplemental materials may be provided in an appendix. All supplemental materials (such as data collection instrument or methodology reports) should be organized in one file with a table of contents or bookmarks. If material pertains to a specific submission form number, that should be indicated. Requested information should be provided in the submission form and required attachments. There is no guarantee that supplemental materials will be reviewed.

Attachment:
Contact Information
Co.1 Measure Steward (Intellectual Property Owner): National Committee for Quality Assurance Co.2 Point of Contact: Bob, Rehm, nqf@ncqa.org, 202-955-1728- Co.3 Measure Developer if different from Measure Steward: National Committee for Quality Assurance Co.4 Point of Contact: Kristen, Swift, Swift@ncqa.org, 202-955-5174-
Additional Information
Ad.1 Workgroup/Expert Panel involved in measure development Provide a list of sponsoring organizations and workgroup/panel members' names and organizations. Describe the members' role in measure development. DIABETES EXPERT PANEL: Bill Herman (Chair), MD, Univ. of Michigan Health System David Aron, MD, Department of Veteran's Affairs James Fain, PhD, RN, University of Massachusetts Jerry Cavallerano, OD, Beetham Eye Institute John Thompson, MD, Retina Specialists Judith Fradkin, MD, NIDDK/NIH Lynne Levitsky, MD, Massachusetts General Hospital Mark Cziraky, PharmD, Healthcore Richard Hellman, MD, Private Practice, Diabetes & Endocrinology Seth Rubenstein, DPM, Reston Hospital Center, INOVA Fair Oaks Hospital Stephen Fadem, MD, Baylor College of Medicine Ted Ganiats, MD, Univ. of California, San Diego Nancy Van Vessum, MD, Capital Health Plan HEDIS EXPERT CODING PANEL Glen Braden, MBA, CHCA, Attest Health Care Advisors, LLC Denene Harper, RHIA, American Hospital Association DeHandro Hayden, BS, American Medical Association Patience Hoag, RHIT, CPHQ, CHCA, CCS, CCS-P, Aqurate Health Data Management, Inc. Nelly Leon-Chisen, RHIA, American Hospital Association Alec McLure, MPH, RHIA, CCS-P, Verscend Technologies Michele Mouradian, RN, BSN, Change HealthCare Craig Thacker, RN, CIGNA HealthCare Mary Jane F. Toomey, RN CPC, WellCare Health Plans, Inc. COMMITTEE ON PERFORMANCE MEASUREMENT: Bruce Bagley, MD, FAAFP, Independent Consultant Andrew Baskin, MD, Aetna Jonathan D. Darer, MD, Siemens Healthineers Helen Darling, MA, Strategic Advisor on Health Benefits & Health Care Andrea Gelzer, MD, MS, FACP, AmeriHealth Caritas Kate Goodrich, MD, MHS, Centers for Medicare and Medicaid Services David Grossman, MD, MPH, Washington Permanente Medical Group Christine Hunter, MD, (Co-Chair) US Office of Personnel Management Jeffrey Kelman, MMSc, MD, United States Department of Health and Human Services Nancy Lane, PhD, Independent Consultant Bernadette Loftus, MD, The Permanente Medical Group Adrienne Mims, MD, MPH, Alliant Quality Amanda Parsons, MD, MBA, Montefiore Health System Wayne Rawlins, MD, MBA, ConnectiCare Rodolfo Saenz, MD, MMM, FACOG, Riverside Medical Clinic

Eric C. Schneider, MD, MSc (Co-Chair), The Commonwealth Fund
 Marcus Thygeson, MD, MPH, Adaptive Health
 JoAnn Volk, MA, Reforms
 Lina Walker, PhD, AARP

CLINICAL PROGRAMS COMMITTEE

Randall Curnow, MD, MBA, FACP, FACHE, FACPE (Chair), TriHealth
 Suzanne Berman, MD, FAAP, Plateau Pediatrics
 Brooks Daveman, MPP, Tennessee Division of Health Care Finance and Administration
 Marcus Friedrich, MD, MBA, FACP, New York State Department Health Empire State Plaza, Coming Towne
 Jennifer Gutzmore, MD, Cigna
 Melissa Hogan, MPH, Aon
 Adriana Matiz, MD, FAAP, Ambulatory Care Network
 Lisa Morrise, Marts, LAM Professional Services, LLC
 Deborah Murph, MBA, BSN, RN, Cherokee Health Systems
 Amy Nguyen Howell, MD, MBA, CAPG
 Marc Rivo, MD, Population Health Innovations
 Julie Schilz, BSN, MBA, Anthem
 Pamela Slaven-Lee, DNP, FNP-C, CHSE, The George Washington University School of Nursing
 Lina Walker, PhD, AARP

Measure Developer/Steward Updates and Ongoing Maintenance

Ad.2 Year the measure was first released: 1999

Ad.3 Month and Year of most recent revision: 04, 2018

Ad.4 What is your frequency for review/update of this measure? Approximately every 3 years, sooner if the clinical guidelines have changed significantly.

Ad.5 When is the next scheduled review/update for this measure? 12, 2019

Ad.6 Copyright statement: The performance measures and specifications were developed by and are owned by the National Committee for Quality Assurance (“NCQA”). The performance measures and specifications are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures or specifications. NCQA holds a copyright in

these materials and can rescind or alter these materials at any time. These materials may not be modified by anyone other than NCQA. Anyone desiring to use or reproduce the materials without modification for an internal, quality improvement non-commercial

purpose may do so without obtaining any approval from NCQA. All other uses, including a commercial use and/or external reproduction, distribution and publication must be approved by NCQA and are subject to a license at the discretion of NCQA. ©2018 NCQA, all rights reserved.

Limited proprietary coding is contained in the measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. NCQA disclaims all liability for use or accuracy of any coding contained in the specifications.

Content reproduced with permission from HEDIS, Volume 2: Technical Specifications for Health Plans. To purchase copies of this publication, including the full measures and specifications, contact NCQA Customer Support at 888-275-7585 or visit www.ncqa.org/publications.

Ad.7 Disclaimers: These performance measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED “AS IS” WITHOUT WARRANTY OF ANY KIND.

Ad.8 Additional Information/Comments: NCQA Notice of Use. Broad public use and dissemination of these measures is encouraged and NCQA has agreed with NQF that noncommercial uses do not require the consent of the measure developer. Use by health care physicians in connection with their own practices is not commercial use. Commercial use of a measure requires the prior written consent of NCQA. As used herein, “commercial use” refers to any sale, license, or distribution of a measure for commercial gain, or incorporation of a measure into any product or service that is sold, licensed, or distributed for commercial gain, even if there is no

actual charge for inclusion of the measure.

These performance measures were developed and are owned by NCQA. They are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures, and NCQA has no liability to anyone who relies on such measures. NCQA holds a copyright in these measures and can rescind or alter these measures at any time. Users of the measures shall not have the right to alter, enhance, or otherwise modify the measures, and shall not disassemble, recompile, or reverse engineer the source code or object code relating to the measures. Anyone desiring to use or reproduce the measures without modification for a noncommercial purpose may do so without obtaining approval from NCQA. All commercial uses must be approved by NCQA and are subject to a license at the discretion of NCQA. © 2018 by the National Committee for Quality Assurance.