



Measure Information

This document contains the information submitted by measure developers/stewards, but is organized according to NQF's measure evaluation criteria and process. The item numbers refer to those in the submission form but may be in a slightly different order here. In general, the item numbers also reference the related criteria (e.g., item 1b.1 relates to subcriterion 1b).

Brief Measure Information

NQF #: 0162

Corresponding Measures:

De.2. Measure Title: ACEI or ARB for left ventricular systolic dysfunction - Heart Failure (HF) Patients

Co.1.1. Measure Steward: Centers for Medicare & Medicaid Services

De.3. Brief Description of Measure: Percentage of heart failure (HF) patients with left ventricular systolic dysfunction (LVSD) who are prescribed an ACEI or ARB at hospital discharge. For purposes of this measure, LVSD is defined as chart documentation of a left ventricular ejection fraction (LVEF) less than 40% or a narrative description of left ventricular systolic (LVS) function consistent with moderate or severe systolic dysfunction.

1b.1. Developer Rationale: Use of angiotensin converting enzyme inhibitors or angiotensin receptor blockers in patients with left ventricular systolic dysfunction significantly reduces mortality and other adverse outcomes. Hospital performance rates have gradually increased over the years this measure has been reported to the public. Providers understand the importance of prescribing ACEIs and ARBs for their HF patients with LVSD unless contraindications exist. Ongoing use of this measure will help ensure that high performing providers maintain high performance and the relatively lower performing providers have an impetus to improve.

S.4. Numerator Statement: HF patients who are prescribed an ACEI or ARB at hospital discharge

S.7. Denominator Statement: HF patients (International Classification of Diseases, 9th revision, Clinical Modification [ICD-9-CM] principal diagnosis code of HF: 402.01, 402.11, 402.91, 404.01, 404.03, 404.11, 404.13, 404.91, 404.93, 428.0, 428.1, 428.20, 428.21, 428.22, 428.23, 428.30, 428.31, 428.32, 428.33, 428.40, 428.41, 428.42, 428.43, 428.9); with chart documentation of a left ventricular ejection fraction (LVEF) < 40% or a narrative description of left ventricular systolic (LVS) function consistent with moderate or severe systolic dysfunction

S.10. Denominator Exclusions: Exclusions:

- Patients who had a left ventricular assistive device (LVAD) or heart transplant procedure during hospital stay (ICD-9-CM procedure code of LVAD or Heart Transplant: 33.6, 37.51, 37.52, 37.53, 37.54, 37.60, 37.62, 37.63, 37.65, 37.66, 37.68)
- <18 years of age
- Patients who have a length of stay greater than 120 days
- Discharged to another hospital
- Expired
- Left against medical advice
- Discharged to home for hospice care
- Discharged to a health care facility for hospice care
- Patients enrolled in clinical trials
- Patients with comfort measures only documented
- Patients with a documented reason for no ACEI and no ARB at discharge

De.1. Measure Type: Process

S.23. Data Source: Claims, Paper Medical Records

S.26. Level of Analysis: Facility, Other, Population : Regional and State

IF Endorsement Maintenance – Original Endorsement Date: May 09, 2007 **Most Recent Endorsement Date:** Jan 18, 2012

IF this measure is included in a composite, NQF Composite#/title:

IF this measure is paired/grouped, NQF#/title:

De.4. IF PAIRED/GROUPED, what is the reason this measure must be reported with other measures to appropriately interpret results? N/A

1. Evidence, Performance Gap, Priority – Importance to Measure and Report

Extent to which the specific measure focus is evidence-based, important to making significant gains in healthcare quality, and improving health outcomes for a specific high-priority (high-impact) aspect of healthcare where there is variation in or overall less-than-optimal performance. **Measures must be judged to meet all subcriteria to pass this criterion and be evaluated against the remaining criteria.**

1a. Evidence to Support the Measure Focus – See attached Evidence Submission Form
[0162_Evidence_MSF5.0_Data.doc](#)

1b. Performance Gap

Demonstration of quality problems and opportunity for improvement, i.e., data demonstrating:

- considerable variation, or overall less-than-optimal performance, in the quality of care across providers; and/or
- disparities in care across population groups.

1b.1. Briefly explain the rationale for this measure (e.g., the benefits or improvements in quality envisioned by use of this measure) Use of angiotensin converting enzyme inhibitors or angiotensin receptor blockers in patients with left ventricular systolic dysfunction significantly reduces mortality and other adverse outcomes. Hospital performance rates have gradually increased over the years this measure has been reported to the public. Providers understand the importance of prescribing ACEIs and ARBs for their HF patients with LVSD unless contraindications exist. Ongoing use of this measure will help ensure that high performing providers maintain high performance and the relatively lower performing providers have an impetus to improve.

1b.2. Provide performance scores on the measure as specified (current and over time) at the specified level of analysis. (This is required for endorsement maintenance. Include mean, std dev, min, max, interquartile range, scores by decile. Describe the data source including number of measured entities; number of patients; dates of data; if a sample, characteristics of the entities included). This information also will be used to address the subcriterion on improvement (4b.1) under Usability and Use.

National performance rates:

2Q09: 93.8%

3Q09: 93.6%

4Q09: 94.3%

1Q10: 94.7%

1b.3. If no or limited performance data on the measure as specified is reported in 1b2, then provide a summary of data from the literature that indicates opportunity for improvement or overall less than optimal performance on the specific focus of measurement.

Clinical warehouse data:

2Q09: 66,437 HF patients, 3,709 hospitals

3Q09: 59,825 HF patients, 3,622 hospitals

4Q09: 64,433 HF patients, 3,689 hospitals

1Q10: 67,827 HF patients, 3,724 hospitals

1b.4. Provide disparities data from the measure as specified (current and over time) by population group, e.g., by race/ethnicity, gender, age, insurance status, socioeconomic status, and/or disability. (This is required for endorsement maintenance. Describe the data source including number of measured entities; number of patients; dates of data; if a sample, characteristics of the entities include.) This information also will be used to address the subcriterion on improvement (4b.1) under Usability and Use.

At the univariate analysis level (unadjusted odds ratios) and consistent with findings in our other HF measures, one racial/ethnic group, namely Native American, had a lower rate in this measure (91.8%) compared to the other racial/ethnic groups (Caucasian 93.1%, African-American 95.1%, Hispanic 93.5%, and Asian/Pacific Islander 95.3%).

1b.5. If no or limited data on disparities from the measure as specified is reported in 1b4, then provide a summary of data from the literature that addresses disparities in care on the specific focus of measurement. Include citations.

2009 Clinical warehouse data (Total 250,713 patients with race not missing): 155,808 Caucasian patients, 69,597 African-American patients, 20,068 Hispanic patients, 3,962 Asian/Pacific Islander patients, and 1,278 Native American patients.

1c. High Priority (previously referred to as High Impact)

The measure addresses:

- a specific national health goal/priority identified by DHHS or the National Priorities Partnership convened by NQF; OR
- a demonstrated high-priority (high-impact) aspect of healthcare (e.g., affects large numbers of patients and/or has a substantial impact for a smaller population; leading cause of morbidity/mortality; high resource use (current and/or future); severity of illness; and severity of patient/societal consequences of poor quality).

1c.1. Demonstrated high priority aspect of healthcare

Affects large numbers, A leading cause of morbidity/mortality, Severity of illness, Patient/societal consequences of poor quality

1c.2. If Other:

1c.3. Provide epidemiologic or resource use data that demonstrates the measure addresses a high priority aspect of healthcare.

List citations in 1c.4.

Heart failure (HF) is a major and growing public health problem in the United States that currently affects approximately 5.7 million Americans. More than 670,000 persons in the US are diagnosed with HF annually, and a person aged 40 years or older has a 1 in 5 chance of developing HF in their lifetime. HF is primarily a disease of the elderly, affecting more than 1 in 100 persons older than 65 years. HF is noted as the underlying cause of almost 59,000 deaths in the US annually, and the 5-year case fatality rate approaches 50%. HF was also responsible for more than 1 million hospitalizations and nearly 3.4 million ambulatory care visits in the US in 2006. Hospital discharges for HF increased by 126% between 1996 and 2006. It is the leading cause of hospitalization in persons older than 65 years. The estimated direct and indirect costs of HF in the United States for 2009, including inpatient and outpatient costs, were \$37.2 billion.

1c.4. Citations for data demonstrating high priority provided in 1a.3

· Lloyd-Jones D, Adams RJ, Brown TM, Carnethon M, Dai S, De Simone G, Ferguson TB, Ford E, Furie K, Gillespie C, Go A, Greenlund K, Haase N, Hailpern S, Ho PM, Howard V, Kissela B, Kittner S, Lackland D, Lisabeth L, Marelli A, McDermott MM, Meigs J, Mozaffarian D, Mussolino M, Nichol G, Roger VL, Rosamond W, Sacco R, Sorlie P, Stafford R, Thom T, Wasserthiel-Smoller S, Wong ND, Wylie-Rosett J; on behalf of the American Heart Association Statistics Committee and Stroke Statistics Subcommittee. Heart disease and stroke statistics—2010 update: a report from the American Heart Association. *Circulation*. 2010;121:e46–e215.

1c.5. If a PRO-PM (e.g. HRQoL/functional status, symptom/burden, experience with care, health-related behaviors), provide evidence that the target population values the measured PRO and finds it meaningful. (Describe how and from whom their input was obtained.)

2. Reliability and Validity—Scientific Acceptability of Measure Properties

Extent to which the measure, as specified, produces consistent (reliable) and credible (valid) results about the quality of care when implemented. **Measures must be judged to meet the subcriteria for both reliability and validity to pass this criterion and be evaluated against the remaining criteria.**

2a.1. Specifications The measure is well defined and precisely specified so it can be implemented consistently within and across organizations and allows for comparability. eMeasures should be specified in the Health Quality Measures Format (HQMF) and the Quality Data Model (QDM).

De.5. Subject/Topic Area (check all the areas that apply):

Cardiovascular, Cardiovascular : Congestive Heart Failure

De.6. Non-Condition Specific (check all the areas that apply):

S.1. Measure-specific Web Page (Provide a URL link to a web page specific for this measure that contains current detailed specifications including code lists, risk model details, and supplemental materials. Do not enter a URL linking to a home page or to

general information.)

<http://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=QnetPublic%2FPage%2FQnetTier4&cid=1228772433589>

S.2a. If this is an eMeasure, HQMF specifications must be attached. Attach the zipped output from the eMeasure authoring tool (MAT) - if the MAT was not used, contact staff. (Use the specification fields in this online form for the plain-language description of the specifications)

Attachment:

S.2b. Data Dictionary, Code Table, or Value Sets (and risk model codes and coefficients when applicable) must be attached. (Excel or csv file in the suggested format preferred - if not, contact staff)

Attachment:

S.3. For endorsement maintenance, please briefly describe any changes to the measure specifications since last endorsement date and explain the reasons.

S.4. Numerator Statement (Brief, narrative description of the measure focus or what is being measured about the target population, i.e., cases from the target population with the target process, condition, event, or outcome)

IF an OUTCOME MEASURE, state the outcome being measured. Calculation of the risk-adjusted outcome should be described in the calculation algorithm.

[HF patients who are prescribed an ACEI or ARB at hospital discharge](#)

S.5. Time Period for Data (What is the time period in which data will be aggregated for the measure, e.g., 12 mo, 3 years, look back to August for flu vaccination? Note if there are different time periods for the numerator and denominator.)

[From hospital arrival to time of hospital discharge](#)

S.6. Numerator Details (All information required to identify and calculate the cases from the target population with the target process, condition, event, or outcome such as definitions, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format at S.2b)

IF an OUTCOME MEASURE, describe how the observed outcome is identified/counted. Calculation of the risk-adjusted outcome should be described in the calculation algorithm.

Refer to

<http://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=QnetPublic%2FPage%2FQnetTier4&cid=1228772433589>:

- Section 1 - Data Dictionary | Alphabetical Data Dictionary – pages 1-17 through 1-18 plus pages 1-73 through 1-74.
- Appendices | Appendix C - Medication Tables – pages Appendix C-6 through Appendix C-7 plus pages Appendix C-11 through Appendix C-12.
- Section 2 - Measurement Information | Section 2.2 – Heart Failure (HF) – pages HF-3-1 through HF-3-5.

S.7. Denominator Statement (Brief, narrative description of the target population being measured)

HF patients (International Classification of Diseases, 9th revision, Clinical Modification [ICD-9-CM] principal diagnosis code of HF: 402.01, 402.11, 402.91, 404.01, 404.03, 404.11, 404.13, 404.91, 404.93, 428.0, 428.1, 428.20, 428.21, 428.22, 428.23, 428.30, 428.31, 428.32, 428.33, 428.40, 428.41, 428.42, 428.43, 428.9); with chart documentation of a left ventricular ejection fraction (LVEF) < 40% or a narrative description of left ventricular systolic (LVS) function consistent with moderate or severe systolic dysfunction

S.8. Target Population Category (Check all the populations for which the measure is specified and tested if any):

[Elderly](#)

S.9. Denominator Details (All information required to identify and calculate the target population/denominator such as definitions, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format at S.2b)

ICD-9-CM Principal Diagnosis codes:

- 402.01: Hypertensive heart disease, malignant, with heart failure
- 402.11: Hypertensive heart disease, benign, with heart failure
- 402.91: Hypertensive heart disease, unspecified, with heart failure

404.01: Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage I through stage IV, or unspecified
404.03: Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage V or end stage renal disease
404.11: Hypertensive heart and chronic kidney disease, benign, with heart failure and with chronic kidney disease stage I through stage IV, or unspecified
404.13: Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease stage V or end stage renal disease
404.91: Hypertensive heart and chronic kidney disease, unspecified, with heart failure and with chronic kidney disease stage I through stage IV, or unspecified
404.93: Hypertensive heart and chronic kidney disease, unspecified, with heart failure and chronic kidney disease stage V or end stage renal disease
428.0: Congestive heart failure, unspecified
428.1: Left heart failure
428.20: Unspecified systolic heart failure
428.21: Acute systolic heart failure
428.22: Chronic systolic heart failure
428.23: Acute on chronic systolic heart failure
428.30: Unspecified diastolic heart failure
428.31: Acute diastolic heart failure
428.32: Chronic diastolic heart failure
428.33: Acute on chronic diastolic heart failure
428.40: Unspecified combined systolic and diastolic heart failure
428.41: Acute combined systolic and diastolic heart failure
428.42: Chronic combined systolic and diastolic heart failure
428.43: Acute on chronic combined systolic and diastolic heart failure
428.9: Heart failure, unspecified

LVSD - Refer to

<http://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=QnetPublic%2FPage%2FQnetTier4&cid=1228772433589>:

- Section 1 - Data Dictionary | Alphabetical Data Dictionary – pages 1-265 through 1-268.

S.10. Denominator Exclusions *(Brief narrative description of exclusions from the target population)*

Exclusions:

- Patients who had a left ventricular assistive device (LVAD) or heart transplant procedure during hospital stay (ICD-9-CM procedure code of LVAD or Heart Transplant: 33.6, 37.51, 37.52, 37.53, 37.54, 37.60, 37.62, 37.63, 37.65, 37.66, 37.68)
- <18 years of age
- Patients who have a length of stay greater than 120 days
- Discharged to another hospital
- Expired
- Left against medical advice
- Discharged to home for hospice care
- Discharged to a health care facility for hospice care
- Patients enrolled in clinical trials
- Patients with comfort measures only documented
- Patients with a documented reason for no ACEI and no ARB at discharge

S.11. Denominator Exclusion Details *(All information required to identify and calculate exclusions from the denominator such as definitions, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format at S.2b)*

Refer to

<http://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=QnetPublic%2FPage%2FQnetTier4&cid=1228772433589>:

- Section 1 - Data Dictionary | Alphabetical Data Dictionary – pages 1-19 through 1-20, 1-96, 1-106 through 1-108, 1-111 through 1-114, 1-124 through 1-129, 1-211, 1-214 through 1-215, 1-265 through 1-268, and 1-327 through 1-332.
- Appendices | Appendix C - Medication Tables PDF – pages Appendix C-6 through Appendix C-7 plus pages Appendix C-11 through Appendix C-12, and Appendix H - Miscellaneous Tables – page Appendix H-5.

• [Section 2 - Measurement Information](#) | [Section 2.2 – Heart Failure \(HF\) – pages HF-5 plus HF-3-1 through HF-3-5](#)

S.12. Stratification Details/Variables (All information required to stratify the measure results including the stratification variables, definitions, specific data collection items/responses, code/value sets – Note: lists of individual codes with descriptors that exceed 1 page should be provided in an Excel or csv file in required format with at S.2b)

N/A

S.13. Risk Adjustment Type (Select type. Provide specifications for risk stratification in S.12 and for statistical model in S.14-15)

[No risk adjustment or risk stratification](#)

If other:

S.14. Identify the statistical risk model method and variables (Name the statistical method - e.g., logistic regression and list all the risk factor variables. Note - risk model development and testing should be addressed with measure testing under Scientific Acceptability)

N/A

S.15. Detailed risk model specifications (must be in attached data dictionary/code list Excel or csv file. Also indicate if available at measure-specific URL identified in S.1.)

Note: Risk model details (including coefficients, equations, codes with descriptors, definitions), should be provided on a separate worksheet in the suggested format in the Excel or csv file with data dictionary/code lists at S.2b.

S.15a. Detailed risk model specifications (if not provided in excel or csv file at S.2b)

S.16. Type of score:

[Rate/proportion](#)

If other:

S.17. Interpretation of Score (Classifies interpretation of score according to whether better quality is associated with a higher score, a lower score, a score falling within a defined interval, or a passing score)

[Better quality = Higher score](#)

S.18. Calculation Algorithm/Measure Logic (Describe the calculation of the measure score as an ordered sequence of steps including identifying the target population; exclusions; cases meeting the target process, condition, event, or outcome; aggregating data; risk adjustment; etc.)

[Refer to](#)

<http://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=QnetPublic%2FPage%2FQnetTier4&cid=1228772433589>:

[Section 2 - Measurement Information](#) | [Section 2.2 – Heart Failure \(HF\) – pages HF-5 plus HF-3-1 through HF-3-5](#)

S.19. Calculation Algorithm/Measure Logic Diagram URL or Attachment (You also may provide a diagram of the Calculation Algorithm/Measure Logic described above at measure-specific Web page URL identified in S.1 OR in attached appendix at A.1)

S.20. Sampling (If measure is based on a sample, provide instructions for obtaining the sample and guidance on minimum sample size.)

IF a PRO-PM, identify whether (and how) proxy responses are allowed.

[Patients admitted to the hospital for inpatient acute care with an ICD-9-CM Principal Diagnosis Code for HF as defined in section 2a.8, no ICD-9-CM Principal or Other Procedure Code of Left Ventricular Assistive Device \(LVAD\) or Heart Transplant as defined in section 2a.9, patient age greater than or equal to 18 years, and a length of stay less than or equal to 120 days would be included in the initial patient population and eligible to be sampled.](#)

[Monthly Sample Size Based on Population Size \(Average monthly initial patient population size: Minimum required sample size\):](#)

[>= 506: 102](#)

[131-505: 20% of Initial Patient Population size](#)

[26-130: 26](#)

[< 26: 100%](#)

S.21. Survey/Patient-reported data (If measure is based on a survey, provide instructions for conducting the survey and guidance on minimum response rate.)

If a PRO-PM, specify calculation of response rates to be reported with performance measure results.

S.22. Missing data (specify how missing data are handled, e.g., imputation, delete case.)

Required for Composites and PRO-PMs.

S.23. Data Source (Check ONLY the sources for which the measure is SPECIFIED AND TESTED).

If other, please describe in S.24.

[Claims](#), [Paper Medical Records](#)

S.24. Data Source or Collection Instrument (Identify the specific data source/data collection instrument e.g. name of database, clinical registry, collection instrument, etc.)

If a PRO-PM, identify the specific PROM(s); and standard methods, modes, and languages of administration.

[Centers for Medicare & Medicaid Services \(CMS\) Abstraction & Reporting Tool \(CART\)](#). Vendor tools also available.

S.25. Data Source or Collection Instrument (available at measure-specific Web page URL identified in S.1 OR in attached appendix at A.1)

[URL](#)

S.26. Level of Analysis (Check ONLY the levels of analysis for which the measure is SPECIFIED AND TESTED)

[Facility](#), [Other](#), [Population](#) : [Regional and State](#)

S.27. Care Setting (Check ONLY the settings for which the measure is SPECIFIED AND TESTED)

[Inpatient/Hospital](#)

If other:

S.28. COMPOSITE Performance Measure - Additional Specifications (Use this section as needed for aggregation and weighting rules, or calculation of individual performance measures if not individually endorsed.)

2a. Reliability – See attached Measure Testing Submission Form

2b. Validity – See attached Measure Testing Submission Form

[0162_MeasureTesting_MS5.0_Data.doc](#)

3. Feasibility

Extent to which the specifications including measure logic, require data that are readily available or could be captured without undue burden and can be implemented for performance measurement.

3a. Byproduct of Care Processes

For clinical measures, the required data elements are routinely generated and used during care delivery (e.g., blood pressure, lab test, diagnosis, medication order).

3a.1. Data Elements Generated as Byproduct of Care Processes.

[generated by and used by healthcare personnel during the provision of care, e.g., blood pressure, lab value, medical condition, Coded by someone other than person obtaining original information \(e.g., DRG, ICD-9 codes on claims\)](#)

If other:

3b. Electronic Sources

The required data elements are available in electronic health records or other electronic sources. If the required data are not in electronic health records or existing electronic sources, a credible, near-term path to electronic collection is specified.

3b.1. To what extent are the specified data elements available electronically in defined fields? (i.e., data elements that are needed to compute the performance measure score are in defined, computer-readable fields)

No

3b.2. If ALL the data elements needed to compute the performance measure score are not from electronic sources, specify a credible, near-term path to electronic capture, OR provide a rationale for using other than electronic sources.

Retooling work with HHS is expected to be completed in the near future.

3b.3. If this is an eMeasure, provide a summary of the feasibility assessment in an attached file or make available at a measure-specific URL.

Attachment:

3c. Data Collection Strategy

Demonstration that the data collection strategy (e.g., source, timing, frequency, sampling, patient confidentiality, costs associated with fees/licensing of proprietary measures) can be implemented (e.g., already in operational use, or testing demonstrates that it is ready to put into operational use). For eMeasures, a feasibility assessment addresses the data elements and measure logic and demonstrates the eMeasure can be implemented or feasibility concerns can be adequately addressed.

3c.1. Describe what you have learned/modified as a result of testing and/or operational use of the measure regarding data collection, availability of data, missing data, timing and frequency of data collection, sampling, patient confidentiality, time and cost of data collection, other feasibility/implementation issues.

IF a PRO-PM, consider implications for both individuals providing PROM data (patients, service recipients, respondents) and those whose performance is being measured.

Both the change to allow for the documentation of a reason for not prescribing one class (either ACEI or ARB) to be considered implicit documentation of a reason for not prescribing the other class in the cases of angioedema, hyperkalemia, hypotension, renal artery stenosis, and worsening renal function for April 2007+ discharges and the reordering of the "medication prescribed" and "reason for no medication" specifications done for April 2009+ discharges (as described in section 4d.1) reduce abstraction burden. Abstractors no longer have to do an exhaustive search for acceptable reasons for not prescribing ACEI and/or ARB at discharge, saving valuable abstraction time. Additionally, the decision points relating to exclusions comfort measures only, clinical trial, and discharge disposition in the algorithms were rearranged for April 2008+ discharges. The new order enabled tool developers to program tools in such a way that the abstractor could skip abstraction of Comfort Measures Only (challenging data to abstract from some medical records) if the patient was transferred to another acute care hospital, left AMA, expired, or was discharged to hospice, saving important abstraction time as well.

3c.2. Describe any fees, licensing, or other requirements to use any aspect of the measure as specified (e.g., value/code set, risk model, programming code, algorithm).

4. Usability and Use

Extent to which potential audiences (e.g., consumers, purchasers, providers, policy makers) are using or could use performance results for both accountability and performance improvement to achieve the goal of high-quality, efficient healthcare for individuals or populations.

4a. Accountability and Transparency

Performance results are used in at least one accountability application within three years after initial endorsement and are publicly reported within six years after initial endorsement (or the data on performance results are available). If not in use at the time of initial endorsement, then a credible plan for implementation within the specified timeframes is provided.

4.1. Current and Planned Use

NQF-endorsed measures are expected to be used in at least one accountability application within 3 years and publicly reported within 6 years of initial endorsement in addition to performance improvement.

Planned	Current Use (for current use provide URL)
Payment Program	

4a.1. For each CURRENT use, checked above, provide:

- Name of program and sponsor
- Purpose
- Geographic area and number and percentage of accountable entities and patients included

4a.2. If not currently publicly reported OR used in at least one other accountability application (e.g., payment program, certification, licensing) what are the reasons? (e.g., Do policies or actions of the developer/steward or accountable entities restrict access to performance results or impede implementation?)

4a.3. If not currently publicly reported OR used in at least one other accountability application, provide a credible plan for implementation within the expected timeframes -- any accountability application within 3 years and publicly reported within 6 years of initial endorsement. (Credible plan includes the specific program, purpose, intended audience, and timeline for implementing the measure within the specified timeframes. A plan for accountability applications addresses mechanisms for data aggregation and reporting.)

4b. Improvement

Progress toward achieving the goal of high-quality, efficient healthcare for individuals or populations is demonstrated. If not in use for performance improvement at the time of initial endorsement, then a credible rationale describes how the performance results could be used to further the goal of high-quality, efficient healthcare for individuals or populations.

4b.1. Progress on Improvement. (Not required for initial endorsement unless available.)

Performance results on this measure (current and over time) should be provided in 1b.2 and 1b.4. Discuss:

- Progress (trends in performance results, number and percentage of people receiving high-quality healthcare)
- Geographic area and number and percentage of accountable entities and patients included

4b.2. If no improvement was demonstrated, what are the reasons? If not in use for performance improvement at the time of initial endorsement, provide a credible rationale that describes how the performance results could be used to further the goal of high-quality, efficient healthcare for individuals or populations.

4c. Unintended Consequences

The benefits of the performance measure in facilitating progress toward achieving high-quality, efficient healthcare for individuals or populations outweigh evidence of unintended negative consequences to individuals or populations (if such evidence exists).

4c.1. Were any unintended negative consequences to individuals or populations identified during testing; OR has evidence of unintended negative consequences to individuals or populations been reported since implementation? If so, identify the negative unintended consequences and describe how benefits outweigh them or actions taken to mitigate them.

1. Documentation of both a reason for not prescribing an ACEI and reason for not prescribing an ARB are required for measure exclusion (barring other exclusions). Providers challenged the need to explicitly document both a reason for not prescribing an ACEI and reason for not prescribing an ARB when the reasons for not prescribing one class often apply to the other class in many cases. This concern was rectified in the measure and abstraction specifications effective with April 1, 2007 discharges. Specifications were changed to allow documentation of a reason for not prescribing one class (either ACEI or ARB) to be considered implicit documentation of a reason for not prescribing the other class when one of the following conditions was noted to be the reason for no ACEI or the reason for no ARB: angioedema, hyperkalemia, hypotension, renal artery stenosis, and worsening renal function/renal disease/dysfunction.

2. Since the time of last NQF endorsement (May 2007), the Heart Care measures team met with other topic teams within the Hospital Inpatient Quality Reporting Program (namely, children's asthma and surgical care) to examine the medication constructs being used. The measure designs at that time automatically excluded patients with a documented contraindication to a medication or reason for not prescribing a medication from the measure, regardless of whether the medication ended up being prescribed. That type of design was resulting in a substantial amount of "false exclusions" from the measure. The decision was made to

rearrange the measure such that patients who were prescribed the medication would remain in the measure (i.e., be included in the numerator) when a reason for not prescribing the medication was documented, effective with April 1, 2009 discharges. It is believed that the number of false exclusions has significantly decreased as a result.

3. Because the denominator exclusion "Patients with a documented reason for no ACEI and no ARB at discharge" allows for any physician/advance practice nurse/physician assistant/pharmacist-documented "other reason" for not prescribing ACEI or ARB at discharge to count as an exclusion, overuse of this exclusion has the potential for distorting performance rates. However, overall trends in measure numerator and denominator counts do not suggest obvious gaming of the measure. There has been no increasing trend in the use of this reason data element since the logical increase which resulted when abstraction guidelines were changed to allow for the documentation of a reason for not prescribing one class (either ACEI or ARB) to be considered implicit documentation of a reason for not prescribing the other class in the cases of angioedema, hyperkalemia, hypotension, renal artery stenosis, and worsening renal function/renal disease/dysfunction. Nevertheless, exclusion rates for this measure will continue to be monitored for consistency, from quarter to quarter.

4. The data elements used in this measure are closely tracked. Questions submitted by abstractors are recorded, and trends related to published abstraction guidelines and disagreements over measure inclusions and exclusions in general are discussed in-depth every 6 months. Revisions in measure specifications, including data element definitions, are made as issues surface (e.g., how to handle documentation of a hold on ACEI/ARB at discharge or a planned delay to start ACEI/ARB after discharge, what constitutes acceptable physician documentation of a reason for not prescribing ACEI/ARB). The frequency of questions pertaining to each data element are tracked by the Hospital Inpatient Quality Reporting Program QIOSC. Clearly the number of questions a data element receives is another indication of how difficult the specifications for the measure might be. Frequency reports are reviewed regularly, to help identify where issues in data element definitions may exist. Of note, in an August 2010 report run by the Hospital Inpatient Quality Reporting Program QIOSC, the number of questions about the abstraction of the four most unique data elements to this measure (shared with the AMI ACEI/ARB for LVSD measure), ACEI Prescribed at Discharge, ARB Prescribed at Discharge, LVSD, and Reason for No ACEI and No ARB at Discharge, amounted to 142, 16.7% of the total 848 Quest questions received for AMI and HF for that month. Lastly, CDAC validation reports (which compare hospital data to CDAC data) and internal CDAC abstractor accuracy reports are monitored, to ensure good quality data. In sum, issues which may surface in questions submitted by users and CDAC validation/accuracy reports will continue to be closely monitored to identify any additional problems, and revisions will be made if warranted.

5. Comparison to Related or Competing Measures

If a measure meets the above criteria and there are endorsed or new related measures (either the same measure focus or the same target population) or competing measures (both the same measure focus and the same target population), the measures are compared to address harmonization and/or selection of the best measure.

5. Relation to Other NQF-endorsed Measures

Are there related measures (conceptually, either same measure focus or target population) or competing measures (conceptually both the same measure focus and same target population)? If yes, list the NQF # and title of all related and/or competing measures.

5.1a. List of related or competing measures (selected from NQF-endorsed measures)

5.1b. If related or competing measures are not NQF endorsed please indicate measure title and steward.

5a. Harmonization

The measure specifications are harmonized with related measures;

OR

The differences in specifications are justified

5a.1. If this measure conceptually addresses EITHER the same measure focus OR the same target population as NQF-endorsed measure(s):

Are the measure specifications completely harmonized?

5a.2. If the measure specifications are not completely harmonized, identify the differences, rationale, and impact on

interpretability and data collection burden.

5b. Competing Measures

The measure is superior to competing measures (e.g., is a more valid or efficient way to measure);

OR

Multiple measures are justified.

5b.1. If this measure conceptually addresses both the same measure focus and the same target population as NQF-endorsed measure(s):

Describe why this measure is superior to competing measures (e.g., a more valid or efficient way to measure quality); OR provide a rationale for the additive value of endorsing an additional measure. (Provide analyses when possible.)

[No NQF-endorsed measures with same topic and target population.](#)

[Related Measures: NQF #0610: Heart Failure - Use of ACE Inhibitor \(ACEI\) or Angiotensin Receptor Blocker \(ARB\) Therapy](#)

Appendix

A.1 Supplemental materials may be provided in an appendix. All supplemental materials (such as data collection instrument or methodology reports) should be organized in one file with a table of contents or bookmarks. If material pertains to a specific submission form number, that should be indicated. Requested information should be provided in the submission form and required attachments. There is no guarantee that supplemental materials will be reviewed.

Attachment:

Contact Information

Co.1 Measure Steward (Intellectual Property Owner): [Centers for Medicare & Medicaid Services](#)

Co.2 Point of Contact: [Corette, Byrd, MMSSupport@Battelle.org, 410-786-1158-](#)

Co.3 Measure Developer if different from Measure Steward: [Centers for Medicare & Medicaid Services](#)

Co.4 Point of Contact: [Kristie, Baus, Kristie.Baus@cms.hhs.gov, 410-786-6738-](#)

Additional Information

Ad.1 Workgroup/Expert Panel involved in measure development

Provide a list of sponsoring organizations and workgroup/panel members' names and organizations. Describe the members' role in measure development.

[This measure is reviewed and maintained by the Heart Care Technical Expert Panel. Quarterly teleconferences are held to discuss issues pertinent to this measure \(and its specifications\) and potential revisions. Current members:](#)

[Frederick Masoudi, MD, MSPH Workgroup Chair: Denver Health Medical Center, University of Colorado at Denver and Health Sciences Center](#)

[Don Casey, MD, MPH, MBA: VP Quality and Chief Medical Officer, Atlantic Health, Rep. of the American College of Physicians](#)

[Elizabeth Delong, PhD: Professor and Chair, Duke University, Biostatistics and Bioinformatics, Co-Director, Outcomes Research and Assessment](#)

[Joseph Drozda, MD: Clinical Investigator, Mercy Health Research, Executive Committee Member, PCPI, Rep. of American Medical Association](#)

[John P. Erwin, III: Professor of Medicine, Co-Director, Cardiovascular Fellowship Program, Hospital Champion, Acute Myocardial Infarction Quality Improvement, Scott and White Hospital and Clinic](#)

[Kerri Fei: Senior Policy Analyst, Measure Development Operations, American Medical Association](#)

[Susan Fitzgerald, RN, MS: Associate Director, Science and Quality, American College of Cardiology](#)

[Gary Francis, MD: Professor of Medicine, University of Minnesota, Rep. of Heart Failure Society of America](#)

[David C. Goff, MD, PhD: Professor and Chair, Department of Epidemiology and Prevention, Division of Public Health Sciences, Wake Forest University School of Medicine](#)

[Kathleen Grady, CNS: Administrative Director, Center for Heart Failure, Bluhm Cardiovascular Institute Division of Cardiothoracic Surgery, Northwestern Memorial Hospital](#)

[Darryl Gray, MD: Medical Officer, Agency for Healthcare Research and Quality](#)

[Lee Green, MD: Professor, University of Michigan Medical School](#)

Ed Havranek, MD: Professor of Medicine, Denver Health Medical Center, University of Colorado School of Medicine
 Paul A. Heidenreich: Assistant Professor of Medicine, Associate Professor by courtesy of Health Research and Policy at the VA Palo Alto Health Care System and CHP/PCOR Fellow
 Alice C. Jacobs, MD: Professor of Medicine, Director, Cardiac Cath Lab, Boston University Medical Center
 Marvin Konstam, MD: Director, Cardiovascular Center, Tufts Medical Center, Rep. of Heart Failure Society of America
 Harlan Krumholz, MD: Harold H. Hines, Jr. Professor of Medicine and Epidemiology and Public Health, Yale University School of Medicine
 Jerod Loeb, PhD: Executive Vice President, Quality Measurement & Research, The Joint Commission
 Ann [Hiniker] Loth, RN, MS, CNS: Certified Clinical Nurse Specialist, Mayo Foundation
 Joseph Messer, MD, MACC: Professor of Medicine, Rush University Medical Center, Rep. of American Medical Association
 Eric Peterson, MD, MPH: Professor of Medicine, Director Cardiovascular Research, Duke Clinical Research Institute, Duke University Medical Center
 Martha Radford, MD: Chief Quality Officer, Professor of Medicine, New York University School of Medicine
 Rose Marie Robertson, MD: Chief Science Officer, American Heart Association
 John Rumsfeld, MD, PhD, FACC, FAHA: Staff Cardiologist, Cardiovascular Outcomes Researcher, Denver Veterans Affairs Medical Center
 David Shahian, MD: Research Director, Center for Quality and Safety, Massachusetts General Hospital
 Melanie Shahriary, RN, BSN: Associate Director, Performance Measures and Data Standards, American College of Cardiology
 John Spertus, MD, MPH, FACC: Director of Cardiovascular Education and Outcomes Research, Mid America Heart Institute, University of Missouri
 Samantha Tierney: Senior Policy Analyst I, American Medical Association
 Gayle Whitman, PhD, RN, FAAN, FAHA: Sr Vice President, Office of Science Operations, American Heart Association
 Janet Wright, MD, FACC: Senior Vice President for Science and Quality, American College of Cardiology
 Contractor Staff:
 Dale Bratzler, DO, MPH: CEO, Principal Clinical Coordinator, Oklahoma Foundation for Medical Quality
 Jo DeBuhr, RN: Project Specialist, AMI/HF Inpatient Measures, Oklahoma Foundation for Medical Quality/Colorado Foundation for Medical Care
 Chris Leber, RN: Project Specialist, AMI/HF Inpatient Measures, Oklahoma Foundation for Medical Quality/Colorado Foundation for Medical Care
 CMS Staff:
 Kristie Baus, MS, RN: Government Task Leader, Centers for Medicare and Medicaid Services
 David Nilasena, MD: Chief Medical Officer, Region VI, Centers for Medicare and Medicaid

Measure Developer/Steward Updates and Ongoing Maintenance

Ad.2 Year the measure was first released: 1999

Ad.3 Month and Year of most recent revision: 10, 2010

Ad.4 What is your frequency for review/update of this measure? Every 6 months

Ad.5 When is the next scheduled review/update for this measure? 07, 2011

Ad.6 Copyright statement:

Ad.7 Disclaimers:

Ad.8 Additional Information/Comments: