

Measure Title: Depression Screening and Follow-up

| | |
|-------------------------------|--|
| Who Performed the Assessment? | Quality Insights |
| EHR Systems Used: | |
| EHR System #1: | GE Centricity 12.0 |
| EHR System #2: | Medent 22.0 |
| EHR System #3: | Greenway SuccessEHS 8.1 |
| Type of Measure | Legacy |
| | |
| | |
| Type of Setting or Practice | Ambulatory Care: Clinician Office/Clinic |

| | |
|----------|---|
| Summary: | <p>We conducted workflow assessments at three practices and worked with these practices to complete feasibility scorecards. Two practices experienced feasibility challenges with data elements identifying follow-up interventions, particularly “additional evaluation,” “follow-up for depression,” and “suicide risk assessment;” but the third practice was able to capture these data elements. All three practices faced challenges with at least one of the data elements identifying denominator exceptions: “medical reason contraindicated” and “patient refused.” Since these are likely to be relatively infrequent, however, we do not expect these challenges to significantly impact measure performance. Overall, the measure was feasible in each of the three provider practices that contributed to testing of this eCQM. Most data elements necessary to capture the measure were regularly captured in structured fields.</p> |
|----------|---|

NQF FEASIBILITY SCORECARD DIRECTIONS

| TIMEFRAME | |
|-----------|-----------------------------------|
| Current | Presently |
| Future | Anticipated in the next 3-5 years |

| DATA AVAILABILITY | | Is the data readily available in a structured format? |
|-------------------|--|---|
| Score | More comprehensive description of criteria | |
| 3 | Data element exists in a structured format in the EHRs that were tested | |
| 2 | Not defined at this time. Hold for possible future use | |
| 1 | Data element is not available in a structured format within the EHRs tested for this measure | |

| DATA ACCURACY | | Is the information contained in the data element correct? Are the data source and recorder specified? |
|---------------|---|---|
| Score | More comprehensive description of criteria | |
| 3 | The information is from the most authoritative source and/or is likely to be correct* | |
| 2 | The information may not be from the most authoritative source and/or has a moderate likelihood of being correct** | |
| 1 | The information may not be correct*** | |

* Laboratory test results transmitted directly from the laboratory system into the EHR

**Self-reporting of a vaccination

***A check box that indicates medication/reconciliation was performed

| DATA STANDARDS | | Is the data element coded using a nationally accepted terminology standard? |
|----------------|--|---|
| Score | More comprehensive description of criteria | |
| 3 | The data element is coded in a nationally accepted terminology standard | |
| 2 | Terminology standards for this data element are currently available, but it is not consistently coded to standard terminology in the EHR, or the EHR does not easily allow such coding | |
| 1 | The EHR does not support coding to the existing standard | |

| WORKFLOW | | To what degree is the data element captured during the course of care? How does it impact the typical workflow for that user? |
|----------|---|---|
| Score | More comprehensive description of criteria | |
| 3 | The data element is routinely collected as part of routine care and requires no additional data entry from a clinician or other provider solely for the quality measure and no EHR user interface changes**** | |
| 2 | Data element is not routinely collected as part of routine care and additional time and effort over and above routine care is required but is perceived to have some benefit to care | |
| 1 | Additional time and effort over and above routine care is required to collect this data element without immediate benefit to care | |

****Examples would be lab values, vital signs, referral orders or problem list entry.

Measure Title: Depression Screening and Follow-up EHR: GE Centricity 12.0

| | | | | | DATA AVAILABILITY | | DATA ACCURACY | | DATA STANDARDS | | WORKFLOW | | AVERAGE |
|----|-----------------------------|-------------------------|---|----------|---|----------------------------|---|----------------------------|---|---|---|----------------------------|--|
| # | Data Element | Data Element Attributes | Value Set | Timeline | Is the data readily available in a structured format? | | Is the information contained in the data element correct? Are the data source and recorder specified? | | Are the data elements coded using a national accepted terminology standard? | | To what degree is the data element captured during the course of care? How does it impact the typical workflow for that user? | | Average of all feasibility scores across each domain |
| | | | | | Score | Additional Characteristics | Score | Additional Characteristics | Score | Additional Characteristics | Score | Additional Characteristics | |
| 1 | Birth date | LOINC | birth date 2.16.840.1.113883.3.560.100.4 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 2 | Sex | HL7V2.5 | ONC Administrative Sex 2.16.840.1.113762.1.4.1 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 3 | Race | CDCREC | Race 2.16.840.1.114222.4.11.836 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 4 | Ethnicity | CDCREC | Ethnicity 2.16.840.1.114222.4.11.837 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 5 | Payer | SOP | Payer 2.16.840.1.114222.4.11.3591 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 6 | Date of encounter | Date | n.a. | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 7 | Type of encounter | SNOMEDCT, CPT, HCPCS | Depression Screening Denomnator Encounter Codes New 2.16.840.1.113883.3.600.1916 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 8 | Depresson screening | LOINC | Adolescent Depression Screening 2.16.840.1.113883.3.600.2452 Adult Depression Screening 2.16.840.1.113883.3.600.2449 | Current | 3 | | 3 | | 3 | G-code | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 9 | Depression screening result | SNOMEDCT | Positive Depression Screening 2.16.840.1.113883.3.600.2450 Negative Depression Screening 2.16.840.1.113883.3.600.2451 Depression Screening Result 2.16.840.1.113883.3.600.2454 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 10 | Referral for Depression | SNOMEDCT | Referral for Depression Adolescent 2.16.840.1.113883.3.600.537 Referral for Depression Adult 2.16.840.1.113883.3.600.538 | Current | 3 | | 3 | | 1 | Text | 3 | | 2.5 |
| | | | | Future | 3 | | 3 | | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 3 | | 2.5 |
| 11 | Additional evaluation | SNOMEDCT | Additional evaluation for depression - adolescent 2.16.840.1.113883.3.600.1542 Additional evaluation for depression - adult 2.16.840.1.113883.3.600.1545 | Current | 3 | | 3 | | 3 | PHQ-9 | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 12 | Depression medication | RXNORM | Depression medications - adolescent 2.16.840.1.113883.3.600.469 Depression medications - adult 2.16.840.1.113883.3.600.470 | Current | 3 | | 3 | | 3 | NDC | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| | Follow-up for depression | SNOMEDCT | Follow-up for depression - adolescent 2.16.840.1.113883.3.600.467 | Current | 3 | | 3 | | 1 | | 3 | | 2.5 |

Measure Title: Depression Screening and Follow-up EHR: GE Centricity 12.0

| | | | | | DATA AVAILABILITY | | DATA ACCURACY | | DATA STANDARDS | | WORKFLOW | | AVERAGE |
|----|--------------------------------|-------------------------|--|----------|---|---|---|---|---|---|---|---|--|
| # | Data Element | Data Element Attributes | Value Set | Timeline | Is the data readily available in a structured format? | | Is the information contained in the data element correct? Are the data source and recorder specified? | | Are the data elements coded using a national accepted terminology standard? | | To what degree is the data element captured during the course of care? How does it impact the typical workflow for that user? | | Average of all feasibility scores across each domain |
| | | | | | Score | Additional Characteristics | Score | Additional Characteristics | Score | Additional Characteristics | Score | Additional Characteristics | |
| 13 | | | 2.16.840.1.113883.3.600.407 Follow-up for depression - adult 2.16.840.1.113883.3.600.468 | Future | 3 | | 3 | | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 3 | | 2.5 |
| 14 | Suicide risk assessment | SNOMEDCT | Suicide Risk Assessment 2.16.840.1.113883.3.600.559 | Current | 1 | | 2 | | 1 | | 2 | | 1.5 |
| | | | | Future | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 2 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 2 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 1.5 |
| 15 | Bipolar diagnosis | SNOMEDCT, ICD-9, ICD-10 | Bipolar diagnosis 2.16.840.1.113883.3.600.450 | Current | 3 | | 3 | | 3 | ICD-10 | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 16 | Depression diagnosis | SNOMEDCT, ICD-9, ICD-10 | Depression diagnosis 2.16.840.1.113883.3.600.145 | Current | 3 | | 3 | | 3 | ICD-10 | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 17 | Medical reason contraindicated | SNOMEDCT | Medical reason contraindicated 2.16.840.1.113883.3.600.792 | Current | 1 | | 2 | | 1 | Text | 2 | | 1.5 |
| | | | | Future | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 2 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 2 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 1.5 |
| 18 | Patient Reason refused | SNOMEDCT | Patient Reason refused 2.16.840.1.113883.3.600.791 | Current | 1 | | 2 | | 1 | Text | 2 | | 1.5 |
| | | | | Future | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 2 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 2 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 1.5 |

Measure Title: Depression Screening and Follow-up EHR: Medent 22.0

| | | | | | DATA AVAILABILITY | | DATA ACCURACY | | DATA STANDARDS | | WORKFLOW | | AVERAGE |
|----|-----------------------------|-------------------------|---|----------|---|---|---|---|---|---|---|---|--|
| # | Data Element | Data Element Attributes | Value Set | Timeline | Is the data readily available in a structured format? | | Is the information contained in the data element correct? Are the data source and recorder specified? | | Are the data elements coded using a national accepted terminology standard? | | To what degree is the data element captured during the course of care? How does it impact the typical workflow for that user? | | Average of all feasibility scores across each domain |
| | | | | | Score | Additional Characteristics | Score | Additional Characteristics | Score | Additional Characteristics | Score | Additional Characteristics | |
| 1 | Birth date | LOINC | birth date 2.16.840.1.113883.3.560.100.4 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 2 | Sex | HL7V2.5 | ONC Administrative Sex 2.16.840.1.113762.1.4.1 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 3 | Race | CDCREC | Race 2.16.840.1.114222.4.11.836 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 4 | Ethnicity | CDCREC | Ethnicity 2.16.840.1.114222.4.11.837 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 5 | Payer | SOP | Payer 2.16.840.1.114222.4.11.3591 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 6 | Date of encounter | Date | n.a. | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 7 | Type of encounter | SNOMEDCT, CPT, HCPCS | Depression Screening Denominator Encounter Codes New 2.16.840.1.113883.3.600.1916 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 8 | Depression screening | LOINC | Adolescent Depression Screening 2.16.840.1.113883.3.600.2452 Adult Depression Screening 2.16.840.1.113883.3.600.2449 | Current | 3 | | 3 | | 3 | CPT - G-codes | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 9 | Depression screening result | SNOMEDCT | Positive Depression Screening 2.16.840.1.113883.3.600.2450 Negative Depression Screening 2.16.840.1.113883.3.600.2451 Depression Screening Result 2.16.840.1.113883.3.600.2454 | Current | 3 | | 2 | | 3 | CPT - G-codes | 3 | | 2.75 |
| | | | | | | | | | | | | | 2.75 |
| | | | | Future | 3 | | 2 | | 3 | | 3 | | |
| 10 | Referral for Depression | SNOMEDCT | Referral for Depression Adolescent 2.16.840.1.113883.3.600.537 Referral for Depression Adult 2.16.840.1.113883.3.600.538 | Current | 3 | | 3 | | 3 | SNOMED | 3 | | 3 |
| | | | | | | | | | | | | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | |
| 11 | Additional evaluation | SNOMEDCT | Additional evaluation for depression - adolescent 2.16.840.1.113883.3.600.1542 Additional evaluation for depression - adult 2.16.840.1.113883.3.600.1545 | Current | 1 | | 1 | | 1 | | 1 | | 1 |
| | | | | | | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 1 |
| | | | | Future | 1 | | 1 | | 1 | | 1 | | |
| 12 | Depression medication | RXNORM | Depression medications - adolescent 2.16.840.1.113883.3.600.469 Depression medications - adult 2.16.840.1.113883.3.600.470 | Current | 3 | | 3 | | 3 | NDC | 3 | | 3 |
| | | | | | | | | | | | | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | |
| | Follow-up for depression | SNOMEDCT | Follow-up for depression - adolescent 2.16.840.1.113883.3.600.467 | Current | 1 | | 2 | | 1 | Text | 3 | | 1.75 |

Measure Title: Depression Screening and Follow-up EHR: Medent 22.0

| | | | | | DATA AVAILABILITY | | DATA ACCURACY | | DATA STANDARDS | | WORKFLOW | | AVERAGE |
|----|--------------------------------|-------------------------|--|----------|---|---|---|---|---|---|---|----------------------------|--|
| # | Data Element | Data Element Attributes | Value Set | Timeline | Is the data readily available in a structured format? | | Is the information contained in the data element correct? Are the data source and recorder specified? | | Are the data elements coded using a national accepted terminology standard? | | To what degree is the data element captured during the course of care? How does it impact the typical workflow for that user? | | Average of all feasibility scores across each domain |
| | | | | | Score | Additional Characteristics | Score | Additional Characteristics | Score | Additional Characteristics | Score | Additional Characteristics | |
| 13 | | | 2.16.840.1.113883.3.600.407 Follow-up for depression - adult 2.16.840.1.113883.3.600.468 | Future | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 2 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 3 | | 1.75 |
| 14 | Suicide risk assessment | SNOMEDCT | Suicide Risk Assessment 2.16.840.1.113883.3.600.559 | Current | 1 | | 2 | | 1 | Within PHQ-9 | 3 | | 1.75 |
| | | | | Future | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 2 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 3 | | 1.75 |
| 15 | Bipolar diagnosis | SNOMEDCT, ICD-9, ICD-10 | Bipolar diagnosis 2.16.840.1.113883.3.600.450 | Current | 3 | | 3 | | 3 | ICD-10 | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 16 | Depression diagnosis | SNOMEDCT, ICD-9, ICD-10 | Depression diagnosis 2.16.840.1.113883.3.600.145 | Current | 3 | | 3 | | 3 | ICD-10 | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 17 | Medical reason contraindicated | SNOMEDCT | Medical reason contraindicated 2.16.840.1.113883.3.600.792 | Current | 1 | | 2 | | 1 | Text | 3 | | 1.75 |
| | | | | Future | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 2 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 3 | | 1.75 |
| 18 | Patient Reason refused | SNOMEDCT | Patient Reason refused 2.16.840.1.113883.3.600.791 | Current | 1 | | 2 | | 1 | Text | 3 | | 1.75 |
| | | | | Future | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 2 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 1 | We don't have strong evidence that the feasibility of the measure will improve significantly over time, but lack strong information to definitely make this determination | 3 | | 1.75 |

Measure Title: Depression Screening and Follow-up EHR: Greenway SuccessEHS 8.1

| | | | | | DATA AVAILABILITY | | DATA ACCURACY | | DATA STANDARDS | | WORKFLOW | | AVERAGE |
|----|--------------------------------|-------------------------|---|----------|---|----------------------------|---|----------------------------|---|----------------------------|---|----------------------------|--|
| # | Data Element | Data Element Attributes | Value Set | Timeline | Is the data readily available in a structured format? | | Is the information contained in the data element correct? Are the data source and recorder specified? | | Are the data elements coded using a national accepted terminology standard? | | To what degree is the data element captured during the course of care? How does it impact the typical workflow for that user? | | Average of all feasibility scores across each domain |
| | | | | | Score | Additional Characteristics | Score | Additional Characteristics | Score | Additional Characteristics | Score | Additional Characteristics | |
| 1 | Birth date | LOINC | birth date 2.16.840.1.113883.3.560.100.4 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 2 | Sex | HL7V2.5 | ONC Administrative Sex 2.16.840.1.113762.1.4.1 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 3 | Race | CDCREC | Race 2.16.840.1.114222.4.11.836 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 4 | Ethnicity | CDCREC | Ethnicity 2.16.840.1.114222.4.11.837 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 5 | Payer | SOP | Payer 2.16.840.1.114222.4.11.3591 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 6 | Date of encounter | Date | n.a. | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 7 | Type of encounter | SNOMEDCT, CPT, HCPCS | Depression Screening Denominator Encounter Codes New 2.16.840.1.113883.3.600.1916 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 8 | Depression screening | LOINC | Adolescent Depression Screening 2.16.840.1.113883.3.600.2452 Adult Depression Screening 2.16.840.1.113883.3.600.2449 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 9 | Depression screening result | SNOMEDCT | Positive Depression Screening 2.16.840.1.113883.3.600.2450 Negative Depression Screening 2.16.840.1.113883.3.600.2451 Depression Screening Result 2.16.840.1.113883.3.600.2454 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 10 | Referral for Depression | SNOMEDCT | Referral for Depression Adolescent 2.16.840.1.113883.3.600.537 Referral for Depression Adult 2.16.840.1.113883.3.600.538 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 11 | Additional evaluation | SNOMEDCT | Additional evaluation for depression - adolescent 2.16.840.1.113883.3.600.1542 Additional evaluation for depression - adult 2.16.840.1.113883.3.600.1545 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 12 | Depression medication | RXNORM | Depression medications - adolescent 2.16.840.1.113883.3.600.469 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 13 | Follow-up for depression | SNOMEDCT | Follow-up for depression - adolescent 2.16.840.1.113883.3.600.467 Follow-up for depression - adult | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 14 | Suicide risk assessment | SNOMEDCT | Suicide Risk Assessment 2.16.840.1.113883.3.600.559 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 15 | Bipolar diagnosis | SNOMEDCT, ICD-9, ICD-10 | Bipolar diagnosis 2.16.840.1.113883.3.600.450 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 16 | Depression diagnosis | SNOMEDCT, ICD-9, ICD-10 | Depression diagnosis 2.16.840.1.113883.3.600.145 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 17 | Medical reason contraindicated | SNOMEDCT | Medical reason contraindicated 2.16.840.1.113883.3.600.792 | Current | 3 | | 3 | | 3 | | 3 | | 3 |
| | | | | Future | 3 | | 3 | | 3 | | 3 | | 3 |
| 18 | Patient Reason refused | SNOMEDCT | Patient Reason refused 2.16.840.1.113883.3.600.791 | Current | 1 | | 1 | | 1 | | 2 | | 1.25 |
| | | | | Future | 1 | | 1 | | 1 | | 2 | | 1.25 |

SUMMARY SCORECARD - ALL SITES

Measure Title: Depression Screening and Follow-up

Number of sites: 3

Total data elements: 18

| # | DOMAIN | | DATA AVAILABILITY | | | DATA ACCURACY | | | DATA STANDARDS | | | WORKFLOW | | |
|----|--------------------------------|----------|---|---|------------------------------------|---|---|------------------------------------|---|---|------------------------------------|---|---|------------------------------------|
| | Data Element | Timeline | Is the data readily available in a structured format? | | | Is the information contained in the data element correct? Are the data source and recorder specified? | | | Are the data elements coded using a national accepted terminology standard? | | | To what degree is the data element captured during the course of care? How does it impact the typical workflow for that user? | | |
| | | | Average score across sites (1 to 3 scale) | Number of sites feasible (score of '3') | % of sites feasible (score of '3') | Average score across sites (1 to 3 scale) | Number of sites feasible (score of '3') | % of sites feasible (score of '3') | Average score across sites (1 to 3 scale) | Number of sites feasible (score of '3') | % of sites feasible (score of '3') | Average score across sites (1 to 3 scale) | Number of sites feasible (score of '3') | % of sites feasible (score of '3') |
| 1 | Birth date | Current | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| 2 | Sex | Current | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| 3 | Race | Current | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| 4 | Ethnicity | Current | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| 5 | Payer | Current | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| 6 | Date of encounter | Current | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| 7 | Type of encounter | Current | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| 8 | Depression screening | Current | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| 9 | Depression screening result | Current | 3.0 | 3 | 100% | 2.7 | 2 | 67% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 2.7 | 2 | 67% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| 10 | Referral for depression | Current | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 2.3 | 2 | 67% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 2.3 | 2 | 67% | 3.0 | 3 | 100% |
| 11 | Additional evaluation | Current | 2.3 | 2 | 67% | 2.3 | 2 | 67% | 2.3 | 2 | 67% | 2.3 | 2 | 67% |
| | | Future | 2.3 | 2 | 67% | 2.3 | 2 | 67% | 2.3 | 2 | 67% | 2.3 | 2 | 67% |
| 12 | Depression medication | Current | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| 13 | Follow-up for depression | Current | 2.3 | 2 | 67% | 2.7 | 2 | 67% | 1.7 | 1 | 33% | 3.0 | 3 | 100% |
| | | Future | 2.3 | 2 | 67% | 2.7 | 2 | 67% | 1.7 | 1 | 33% | 3.0 | 3 | 100% |
| 14 | Suicide risk assessment | Current | 1.7 | 1 | 33% | 2.3 | 1 | 33% | 1.7 | 1 | 33% | 2.7 | 2 | 67% |
| | | Future | 1.7 | 1 | 33% | 2.3 | 1 | 33% | 1.7 | 1 | 33% | 2.7 | 2 | 67% |
| 15 | Bipolar diagnosis | Current | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| 16 | Depression diagnosis | Current | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| | | Future | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% | 3.0 | 3 | 100% |
| 17 | Medical reason contraindicated | Current | 1.7 | 1 | 33% | 2.3 | 1 | 33% | 1.7 | 1 | 33% | 2.7 | 2 | 67% |
| | | Future | 1.7 | 1 | 33% | 2.3 | 1 | 33% | 1.7 | 1 | 33% | 2.7 | 2 | 67% |
| 18 | Patient Reason refused | Current | 1.0 | 0 | 0% | 1.7 | 0 | 0% | 1.0 | 0 | 0% | 2.3 | 1 | 33% |
| | | Future | 1.0 | 0 | 0% | 1.7 | 0 | 0% | 1.0 | 0 | 0% | 2.3 | 1 | 33% |

| Within domain average across data elements | | | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|--|---------|--|-------------------|---------------|----------------|----------|
| | Current | | 2.74 | 2.80 | 2.74 | 2.93 |
| | Future | | 2.74 | 2.80 | 2.74 | 2.93 |

Analysis: GE Centricity 12.0


CURRENT

| Data element | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|--------------------------------|-------------------|---------------|----------------|----------|
| Birth date | 3 | 3 | 3 | 3 |
| Sex | 3 | 3 | 3 | 3 |
| Race | 3 | 3 | 3 | 3 |
| Ethnicity | 3 | 3 | 3 | 3 |
| Payer | 3 | 3 | 3 | 3 |
| Date of encounter | 3 | 3 | 3 | 3 |
| Type of encounter | 3 | 3 | 3 | 3 |
| Depression screening | 3 | 3 | 3 | 3 |
| Depression screening result | 3 | 3 | 3 | 3 |
| Referral for Depression | 3 | 3 | 1 | 3 |
| Additional evaluation | 3 | 3 | 3 | 3 |
| Depression medication | 3 | 3 | 3 | 3 |
| Follow-up for depression | 3 | 3 | 1 | 3 |
| Suicide risk assessment | 1 | 2 | 1 | 2 |
| Bipolar diagnosis | 3 | 3 | 3 | 3 |
| Depression diagnosis | 3 | 3 | 3 | 3 |
| Medical reason contraindicated | 1 | 2 | 1 | 2 |
| Patient Reason refused | 1 | 2 | 1 | 2 |

SUMMARY CURRENT

| | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|---|-------------------|---------------|----------------|----------|
| Average within Domain | 2.7 | 2.8 | 2.4 | 2.8 |
| Data Elements Scoring Three with Domain | 15 | 15 | 13 | 15 |
| Total data elements | 18 | 18 | 18 | 18 |
| Percent of data elements currently feasible within domain | 83% | 83% | 72% | 83% |

CURRENT - SUMMARY




FUTURE

| Data element | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|--------------------------------|-------------------|---------------|----------------|----------|
| Birth date | 3 | 3 | 3 | 3 |
| Sex | 3 | 3 | 3 | 3 |
| Race | 3 | 3 | 3 | 3 |
| Ethnicity | 3 | 3 | 3 | 3 |
| Payer | 3 | 3 | 3 | 3 |
| Date of encounter | 3 | 3 | 3 | 3 |
| Type of encounter | 3 | 3 | 3 | 3 |
| Depression screening | 3 | 3 | 3 | 3 |
| Depression screening result | 3 | 3 | 3 | 3 |
| Referral for Depression | 3 | 3 | 1 | 3 |
| Additional evaluation | 3 | 3 | 3 | 3 |
| Depression medication | 3 | 3 | 3 | 3 |
| Follow-up for depression | 3 | 3 | 1 | 3 |
| Suicide risk assessment | 1 | 2 | 1 | 2 |
| Bipolar diagnosis | 3 | 3 | 3 | 3 |
| Depression diagnosis | 3 | 3 | 3 | 3 |
| Medical reason contraindicated | 1 | 2 | 1 | 2 |
| Patient Reason refused | 1 | 2 | 1 | 2 |

SUMMARY - FUTURE

| | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|---|-------------------|---------------|----------------|----------|
| Average within Domain | 2.7 | 2.8 | 2.4 | 2.8 |
| Data Elements Scoring Three with Domain | 15 | 15 | 13 | 15 |
| Total data elements | 18 | 18 | 18 | 18 |
| Percent of data elements currently feasible within domain | 83% | 83% | 72% | 83% |

FUTURE- SUMMARY



Analysis: Medent 22.0


CURRENT

| Data element | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|--------------------------------|-------------------|---------------|----------------|----------|
| Birth date | 3 | 3 | 3 | 3 |
| Sex | 3 | 3 | 3 | 3 |
| Race | 3 | 3 | 3 | 3 |
| Ethnicity | 3 | 3 | 3 | 3 |
| Payer | 3 | 3 | 3 | 3 |
| Date of encounter | 3 | 3 | 3 | 3 |
| Type of encounter | 3 | 3 | 3 | 3 |
| Depresson screening | 3 | 3 | 3 | 3 |
| Depression screening result | 3 | 2 | 3 | 3 |
| Referral for Depression | 3 | 3 | 3 | 3 |
| Additional evaluation | 1 | 1 | 1 | 1 |
| Depression medication | 3 | 3 | 3 | 3 |
| Follow-up for depression | 1 | 2 | 1 | 3 |
| Suicide risk assessment | 1 | 2 | 1 | 3 |
| Bipolar diagnosis | 3 | 3 | 3 | 3 |
| Depression diagnosis | 3 | 3 | 3 | 3 |
| Medical reason contraindicated | 1 | 2 | 1 | 3 |
| Patient Reason refused | 1 | 2 | 1 | 3 |

SUMMARY CURRENT

| | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|---|-------------------|---------------|----------------|----------|
| Average within Domain | 2.4 | 2.6 | 2.4 | 2.9 |
| Data Elements Scoring Three with Domain | 13 | 12 | 13 | 17 |
| Total data elements | 18 | 18 | 18 | 18 |
| Percent of data elements currently feasible within domain | 72% | 67% | 72% | 94% |

CURRENT - SUMMARY




FUTURE

| Data element | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|--------------------------------|-------------------|---------------|----------------|----------|
| Birth date | 3 | 3 | 3 | 3 |
| Sex | 3 | 3 | 3 | 3 |
| Race | 3 | 3 | 3 | 3 |
| Ethnicity | 3 | 3 | 3 | 3 |
| Payer | 3 | 3 | 3 | 3 |
| Date of encounter | 3 | 3 | 3 | 3 |
| Type of encounter | 3 | 3 | 3 | 3 |
| Depresson screening | 3 | 3 | 3 | 3 |
| Depression screening result | 3 | 2 | 3 | 3 |
| Referral for Depression | 3 | 3 | 3 | 3 |
| Additional evaluation | 1 | 1 | 1 | 1 |
| Depression medication | 3 | 3 | 3 | 3 |
| Follow-up for depression | 1 | 2 | 1 | 3 |
| Suicide risk assessment | 1 | 2 | 1 | 3 |
| Bipolar diagnosis | 3 | 3 | 3 | 3 |
| Depression diagnosis | 3 | 3 | 3 | 3 |
| Medical reason contraindicated | 1 | 2 | 1 | 3 |
| Patient Reason refused | 1 | 2 | 1 | 3 |

SUMMARY - FUTURE

| | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|---|-------------------|---------------|----------------|----------|
| Average within Domain | 2.4 | 2.6 | 2.4 | 2.9 |
| Data Elements Scoring Three with Domain | 13 | 12 | 13 | 17 |
| Total data elements | 18 | 18 | 18 | 18 |
| Percent of data elements currently feasible within domain | 72% | 67% | 72% | 94% |

FUTURE- SUMMARY



Analysis: Greenway SuccessEHS 8.1


CURRENT

| Data element | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|--------------------------------|-------------------|---------------|----------------|----------|
| Birth date | 3 | 3 | 3 | 3 |
| Sex | 3 | 3 | 3 | 3 |
| Race | 3 | 3 | 3 | 3 |
| Ethnicity | 3 | 3 | 3 | 3 |
| Payer | 3 | 3 | 3 | 3 |
| Date of encounter | 3 | 3 | 3 | 3 |
| Type of encounter | 3 | 3 | 3 | 3 |
| Depression screening | 3 | 3 | 3 | 3 |
| Depression screening result | 3 | 3 | 3 | 3 |
| Referral for Depression | 3 | 3 | 3 | 3 |
| Additional evaluation | 3 | 3 | 3 | 3 |
| Depression medication | 3 | 3 | 3 | 3 |
| Follow-up for depression | 3 | 3 | 3 | 3 |
| Suicide risk assessment | 3 | 3 | 3 | 3 |
| Bipolar diagnosis | 3 | 3 | 3 | 3 |
| Depression diagnosis | 3 | 3 | 3 | 3 |
| Medical reason contraindicated | 3 | 3 | 3 | 3 |
| Patient Reason refused | 1 | 1 | 1 | 2 |

SUMMARY CURRENT

| | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|---|-------------------|---------------|----------------|----------|
| Average within Domain | 2.9 | 2.9 | 2.9 | 2.9 |
| Data Elements Scoring Three with Domain | 17 | 17 | 17 | 17 |
| Total data elements | 18 | 18 | 18 | 18 |
| Percent of data elements currently feasible within domain | 94% | 94% | 94% | 94% |

CURRENT - SUMMARY




FUTURE

| Data element | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|--------------------------------|-------------------|---------------|----------------|----------|
| Birth date | 3 | 3 | 3 | 3 |
| Sex | 3 | 3 | 3 | 3 |
| Race | 3 | 3 | 3 | 3 |
| Ethnicity | 3 | 3 | 3 | 3 |
| Payer | 3 | 3 | 3 | 3 |
| Date of encounter | 3 | 3 | 3 | 3 |
| Type of encounter | 3 | 3 | 3 | 3 |
| Depression screening | 3 | 3 | 3 | 3 |
| Depression screening result | 3 | 3 | 3 | 3 |
| Referral for Depression | 3 | 3 | 3 | 3 |
| Additional evaluation | 3 | 3 | 3 | 3 |
| Depression medication | 3 | 3 | 3 | 3 |
| Follow-up for depression | 3 | 3 | 3 | 3 |
| Suicide risk assessment | 3 | 3 | 3 | 3 |
| Bipolar diagnosis | 3 | 3 | 3 | 3 |
| Depression diagnosis | 3 | 3 | 3 | 3 |
| Medical reason contraindicated | 3 | 3 | 3 | 3 |
| Patient Reason refused | 1 | 1 | 1 | 2 |

SUMMARY - FUTURE

| | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|---|-------------------|---------------|----------------|----------|
| Average within Domain | 2.9 | 2.9 | 2.9 | 2.9 |
| Data Elements Scoring Three with Domain | 17 | 17 | 17 | 17 |
| Total data elements | 18 | 18 | 18 | 18 |
| Percent of data elements currently feasible within domain | 94% | 94% | 94% | 94% |

FUTURE- SUMMARY




Analysis: All


| SUMMARY CURRENT | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|---|-------------------|---------------|----------------|----------|
| Average within Domain | 2.7 | 2.8 | 2.6 | 2.9 |
| Data Elements Scoring Three with Domain | 13 | 12 | 12 | 14 |
| Total data elements | 18 | 18 | 18 | 18 |
| Percent of data elements currently feasible within domain | 72% | 67% | 67% | 78% |

| SUMMARY - FUTURE | DATA AVAILABILITY | DATA ACCURACY | DATA STANDARDS | WORKFLOW |
|---|-------------------|---------------|----------------|----------|
| Average within Domain | 2.7 | 2.8 | 2.6 | 2.9 |
| Data Elements Scoring Three with Domain | 13 | 12 | 12 | 14 |
| Total data elements | 18 | 18 | 18 | 18 |
| Percent of data elements currently feasible within domain | 72% | 67% | 67% | 78% |

CURRENT - SUMMARY



FUTURE- SUMMARY



Measure Title: Depression Screening and Follow-up

| Value Set Name | Code System | Code System Version | Code | Description |
|-------------------------------|-------------|---------------------|-----------|--|
| Birth Date | LOINC | 2.46 | 21112-8 | Birth date |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 14183003 | Chronic major depressive disorder, single episode (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 15193003 | Severe recurrent major depression with psychotic features, mood-incongruent (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 15639000 | Moderate major depression, single episode (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 18818009 | Moderate recurrent major depression (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191610000 | Recurrent major depressive episodes, mild (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191611001 | Recurrent major depressive episodes, moderate (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191613003 | Recurrent major depressive episodes, severe, with psychosis (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191616006 | Recurrent depression (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191659001 | Atypical depressive disorder (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 192080009 | Chronic depression (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 19527009 | Major depression, single episode, in complete remission (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 19694002 | Late onset dysthymia (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 20250007 | Severe major depression, single episode, with psychotic features, mood-incongruent (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 231504006 | Mixed anxiety and depressive disorder (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 231542000 | Depressive conduct disorder (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 2506003 | Early onset dysthymia (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 25922000 | Major depressive disorder, single episode with postpartum onset (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 2618002 | Chronic recurrent major depressive disorder (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 268621008 | Recurrent major depressive episodes (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 28475009 | Severe recurrent major depression with psychotic features (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 3109008 | Secondary dysthymia early onset (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 319768000 | Recurrent major depressive disorder with melancholic features (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 320751009 | Major depression, melancholic type (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 33078009 | Severe recurrent major depression with psychotic features, mood-congruent (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 35489007 | Depressive disorder (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 36170009 | Secondary dysthymia late onset (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 36474008 | Severe recurrent major depression without psychotic features (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 36923009 | Major depression, single episode (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 370143000 | Major depressive disorder (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 38451003 | Primary dysthymia early onset (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 38694004 | Recurrent major depressive disorder with atypical features (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 39809009 | Recurrent major depressive disorder with catatonic features (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 40379007 | Mild recurrent major depression (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 40568001 | Recurrent brief depressive disorder (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 42925002 | Major depressive disorder, single episode with atypical features (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 430852001 | Severe major depression, single episode, with psychotic features (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 442057004 | Chronic depressive personality disorder (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 48589009 | Minor depressive disorder (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 63778009 | Major depressive disorder, single episode with melancholic features (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 66344007 | Recurrent major depression (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 67711008 | Primary dysthymia late onset (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 69392006 | Major depressive disorder, single episode with catatonic features (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 71336009 | Recurrent major depressive disorder with postpartum onset (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 73867007 | Severe major depression with psychotic features (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 75084000 | Severe major depression without psychotic features (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 75837004 | Mood disorder with depressive features due to general medical condition (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 76441001 | Severe major depression, single episode, without psychotic features (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 77486005 | Mood disorder with major depressive-like episode due to general medical condition (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 77911002 | Severe major depression, single episode, with psychotic features, mood-congruent (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 78667006 | Dysthymia (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 79298009 | Mild major depression, single episode (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 81319007 | Severe bipolar II disorder, most recent episode major depressive without psychotic features |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 83176005 | Primary dysthymia (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 832007 | Moderate major depression (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 84760002 | Schizoaffective disorder, depressive type (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 85080004 | Secondary dysthymia (disorder) |
| Depression Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 87512008 | Mild major depression (disorder) |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 290.13 | Presenile dementia with depressive features |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 290.21 | Senile dementia with depressive features |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 290.43 | Vascular dementia, with depressed mood |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 296.21 | Major depressive affective disorder, single episode, mild |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 296.22 | Major depressive affective disorder, single episode, moderate |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 296.23 | Major depressive affective disorder, single episode, severe, without mention of psychotic behavior |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 296.24 | Major depressive affective disorder, single episode, severe, specified as with psychotic behavior |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 296.25 | Major depressive affective disorder, single episode, in partial or unspecified remission |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 296.26 | Major depressive affective disorder, single episode, in full remission |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 296.31 | Major depressive affective disorder, recurrent episode, mild |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 296.32 | Major depressive affective disorder, recurrent episode, moderate |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 296.33 | Major depressive affective disorder, recurrent episode, severe, without mention of psychotic |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 296.34 | Major depressive affective disorder, recurrent episode, severe, specified as with psychotic |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 296.36 | Major depressive affective disorder, recurrent episode, in full remission |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 296.82 | Atypical depressive disorder |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 298.0 | Depressive type psychosis |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 300.4 | Dysthymic disorder |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 301.12 | Chronic depressive personality disorder |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 309.0 | Adjustment disorder with depressed mood |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 309.1 | Prolonged depressive reaction |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 309.28 | Adjustment disorder with mixed anxiety and depressed mood |
| Depression Diagnosis ICD9 | ICD9CM | 2013 | 311 | Depressive disorder, not elsewhere classified |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F01.51 | Vascular dementia with behavioral disturbance |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F32.0 | Major depressive disorder, single episode, mild |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F32.1 | Major depressive disorder, single episode, moderate |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F32.2 | Major depressive disorder, single episode, severe without psychotic features |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F32.3 | Major depressive disorder, single episode, severe with psychotic features |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F32.4 | Major depressive disorder, single episode, in partial remission |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F32.5 | Major depressive disorder, single episode, in full remission |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F32.8 | Other depressive episodes |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F32.9 | Major depressive disorder, single episode, unspecified |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F33.0 | Major depressive disorder, recurrent, mild |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F33.1 | Major depressive disorder, recurrent, moderate |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F33.2 | Major depressive disorder, recurrent severe without psychotic features |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F33.3 | Major depressive disorder, recurrent, severe with psychotic symptoms |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F33.42 | Major depressive disorder, recurrent, in full remission |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F33.9 | Major depressive disorder, recurrent, unspecified |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F34.1 | Dysthymic disorder |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F43.21 | Adjustment disorder with depressed mood |
| Depression Diagnosis ICD10 | ICD10CM | 2014 | F43.23 | Adjustment disorder with mixed anxiety and depressed mood |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 10875004 | Severe mixed bipolar I disorder with psychotic features, mood-incongruent (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 10981006 | Severe mixed bipolar I disorder with psychotic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 111485001 | Mixed bipolar I disorder in full remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 1196001 | Chronic bipolar II disorder, most recent episode major depressive (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 13313007 | Mild bipolar disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 13581000 | Severe bipolar I disorder, single manic episode with psychotic features, mood-congruent |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 13746004 | Bipolar disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 14495005 | Severe bipolar I disorder, single manic episode without psychotic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 1499003 | Bipolar I disorder, single manic episode with postpartum onset (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 162004 | Severe manic bipolar I disorder without psychotic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 16295005 | Bipolar II disorder, most recent episode major depressive (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 16506000 | Mixed bipolar I disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 17782008 | Bipolar I disorder, most recent episode manic with catatonic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191618007 | Bipolar affective disorder, current episode manic (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191620005 | Bipolar affective disorder, currently manic, mild (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191621009 | Bipolar affective disorder, currently manic, moderate (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191623007 | Bipolar affective disorder, currently manic, severe, with psychosis (disorder) |

Measure Title: Depression Screening and Follow-up

| Value Set Name | Code System | Code System Version | Code | Description |
|---|-------------|---------------------|-----------|--|
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191625000 | Bipolar affective disorder, currently manic, in full remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191627008 | Bipolar affective disorder, current episode depression (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191629006 | Bipolar affective disorder, currently depressed, mild (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191630001 | Bipolar affective disorder, currently depressed, moderate (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191632009 | Bipolar affective disorder, currently depressed, severe, with psychosis (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191634005 | Bipolar affective disorder, currently depressed, in full remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191636007 | Mixed bipolar affective disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191638008 | Mixed bipolar affective disorder, mild (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191639000 | Mixed bipolar affective disorder, moderate (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191641004 | Mixed bipolar affective disorder, severe, with psychosis (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 191643001 | Mixed bipolar affective disorder, in full remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 192362008 | Bipolar affective disorder, current episode mixed (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 19300006 | Severe bipolar II disorder, most recent episode major depressive with psychotic features, mood- |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 20960007 | Severe bipolar II disorder, most recent episode major depressive with psychotic features, mood- |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 21900002 | Bipolar I disorder, most recent episode depressed with catatonic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 22121000 | Depressed bipolar I disorder in full remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 22407005 | Bipolar II disorder, most recent episode major depressive with catatonic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 231444002 | Organic bipolar disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 26203008 | Severe depressed bipolar I disorder with psychotic features, mood-incongruent (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 26530004 | Severe bipolar disorder with psychotic features, mood-incongruent (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 28663008 | Severe manic bipolar I disorder with psychotic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 28884001 | Moderate bipolar I disorder, single manic episode (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 29929003 | Bipolar I disorder, most recent episode depressed with atypical features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 30520009 | Severe bipolar II disorder, most recent episode major depressive with psychotic features |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 30687003 | Bipolar I disorder, most recent episode major depressive with postpartum onset (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 30935000 | Manic bipolar I disorder in full remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 31446002 | Bipolar I disorder, most recent episode hypomanic (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 33380008 | Severe manic bipolar I disorder with psychotic features, mood-incongruent (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 34315001 | Bipolar II disorder, most recent episode major depressive with melancholic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 3530005 | Bipolar I disorder, single manic episode, in full remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 35481005 | Mixed bipolar I disorder in remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 35846004 | Moderate bipolar II disorder, most recent episode major depressive (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 36583000 | Mixed bipolar I disorder in partial remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 371596008 | Bipolar I disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 371599001 | Severe bipolar I disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 371600003 | Severe bipolar disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 371604007 | Severe bipolar II disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 38368003 | Schizoaffective disorder, bipolar type (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 40926005 | Moderate mixed bipolar I disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 41552001 | Mild bipolar I disorder, single manic episode (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 41832009 | Severe bipolar I disorder, single manic episode with psychotic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 41836007 | Bipolar disorder in full remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 43568002 | Bipolar II disorder, most recent episode major depressive with atypical features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 43769008 | Mild mixed bipolar I disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 4441000 | Severe bipolar disorder with psychotic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 45479006 | Manic bipolar I disorder in remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 46229002 | Severe mixed bipolar I disorder without psychotic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 48937005 | Bipolar II disorder, most recent episode hypomanic (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 49468007 | Depressed bipolar I disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 49512000 | Depressed bipolar I disorder in partial remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 51637008 | Chronic bipolar I disorder, most recent episode depressed (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 53049002 | Severe bipolar disorder without psychotic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 53607008 | Depressed bipolar I disorder in remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 54761006 | Severe depressed bipolar I disorder with psychotic features, mood-congruent (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 55516002 | Bipolar I disorder, most recent episode manic with postpartum onset (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 5703000 | Bipolar disorder in partial remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 59617007 | Severe depressed bipolar I disorder with psychotic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 61403008 | Severe depressed bipolar I disorder without psychotic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 63249007 | Manic bipolar I disorder in partial remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 64731001 | Severe mixed bipolar I disorder with psychotic features, mood-congruent (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 65042007 | Bipolar I disorder, most recent episode mixed with postpartum onset (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 66631006 | Moderate depressed bipolar I disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 68569003 | Manic bipolar I disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 70546001 | Severe bipolar disorder with psychotic features, mood-congruent (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 71294008 | Mild bipolar II disorder, most recent episode major depressive (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 71984005 | Mild manic bipolar I disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 73471000 | Bipolar I disorder, most recent episode mixed with catatonic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 74686005 | Mild depressed bipolar I disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 75360000 | Bipolar I disorder, single manic episode, in remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 75752004 | Bipolar I disorder, most recent episode depressed with melancholic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 78269000 | Bipolar I disorder, single manic episode, in partial remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 78640000 | Severe manic bipolar I disorder with psychotic features, mood-congruent (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 79584002 | Moderate bipolar disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 81319007 | Severe bipolar II disorder, most recent episode major depressive without psychotic features |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 82998009 | Moderate manic bipolar I disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 83225003 | Bipolar II disorder (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 85248005 | Bipolar disorder in remission (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 86058007 | Severe bipolar I disorder, single manic episode with psychotic features, mood-incongruent |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 87203005 | Bipolar I disorder, most recent episode depressed with postpartum onset (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 87950005 | Bipolar I disorder, single manic episode with catatonic features (disorder) |
| Bipolar Diagnosis SNOMEDCT | SNOMEDCT | 2013-09 | 9340000 | Bipolar I disorder, single manic episode (disorder) |
| Bipolar Diagnosis ICD9 | ICD9CM | 2013 | 296.40 | Bipolar I disorder, most recent episode (or current) manic, unspecified |
| Bipolar Diagnosis ICD9 | ICD9CM | 2013 | 296.41 | Bipolar I disorder, most recent episode (or current) manic, mild |
| Bipolar Diagnosis ICD9 | ICD9CM | 2013 | 296.42 | Bipolar I disorder, most recent episode (or current) manic, moderate |
| Bipolar Diagnosis ICD9 | ICD9CM | 2013 | 296.43 | Bipolar I disorder, most recent episode (or current) manic, severe, without mention of psychotic |
| Bipolar Diagnosis ICD9 | ICD9CM | 2013 | 296.44 | Bipolar I disorder, most recent episode (or current) manic, severe, specified as with psychotic |
| Bipolar Diagnosis ICD9 | ICD9CM | 2013 | 296.45 | Bipolar I disorder, most recent episode (or current) manic, in partial or unspecified remission |
| Bipolar Diagnosis ICD9 | ICD9CM | 2013 | 296.46 | Bipolar I disorder, most recent episode (or current) manic, in full remission |
| Bipolar Diagnosis ICD9 | ICD9CM | 2013 | 296.80 | Bipolar disorder, unspecified |
| Bipolar Diagnosis ICD10 | ICD10CM | 2014 | F31.11 | Bipolar disorder, current episode manic without psychotic features, mild |
| Bipolar Diagnosis ICD10 | ICD10CM | 2014 | F31.12 | Bipolar disorder, current episode manic without psychotic features, moderate |
| Bipolar Diagnosis ICD10 | ICD10CM | 2014 | F31.13 | Bipolar disorder, current episode manic without psychotic features, severe |
| Bipolar Diagnosis ICD10 | ICD10CM | 2014 | F31.2 | Bipolar disorder, current episode manic severe with psychotic features |
| Bipolar Diagnosis ICD10 | ICD10CM | 2014 | F31.73 | Bipolar disorder, in partial remission, most recent episode manic |
| Bipolar Diagnosis ICD10 | ICD10CM | 2014 | F31.74 | Bipolar disorder, in full remission, most recent episode manic |
| Bipolar Diagnosis ICD10 | ICD10CM | 2014 | F31.9 | Bipolar disorder, unspecified |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 10197000 | Psychiatric interview and evaluation (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 108220007 | Evaluation AND/OR management - new patient (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 108221006 | Evaluation AND/OR management - established patient (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 108224003 | Preventive patient evaluation (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 108250004 | Hearing therapy AND/OR auditory rehabilitation (regime/therapy) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 108311000 | Psychiatric procedure, interview AND/OR consultation (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 13607009 | Manual examination of breast (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 14736009 | History and physical examination with evaluation and management of patient (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 165171009 | Initial psychiatric evaluation (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 171207006 | Depression screening (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 18512000 | Individual psychotherapy (regime/therapy) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 185349003 | Encounter for "check-up" (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 185463005 | Visit out of hours (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 185465003 | Weekend visit (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 252592009 | Speech audiometry (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 252603000 | Tinnitus assessment (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 270427003 | Patient-initiated encounter (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 270430005 | Provider-initiated encounter (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 274803000 | Examination of tympanic membrane (procedure) |

Measure Title: Depression Screening and Follow-up

| Value Set Name | Code System | Code System Version | Code | Description |
|---|-------------|---------------------|-----------|--|
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 277404009 | High frequency tympanometry (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 302440009 | Psychiatric pharmacologic management (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 30346009 | Evaluation and management of established outpatient in office or other outpatient facility |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 308335008 | Patient encounter procedure (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 32537008 | Psychiatric diagnostic interview, examination, history, mental status and disposition (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 35025007 | Manual pelvic examination (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 370803007 | Evaluation of psychosocial impact on plan of care (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 37894004 | Evaluation and management of new outpatient in office or other outpatient facility (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 390906007 | Follow-up encounter (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 406547006 | Urgent follow-up (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 410155007 | Occupational therapy assessment (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 410157004 | Occupational therapy management (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 43362002 | Fitting of hearing aid (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 46662001 | Examination of breast (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 48423005 | Acoustic reflex testing (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 53555003 | Basic comprehensive audiometry testing (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 67533008 | Auditory rehabilitation (regime/therapy) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 78318003 | History and physical examination, annual for health maintenance (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 83607001 | Gynecologic examination (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 8411005 | Interactive individual medical psychotherapy (regime/therapy) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 86013001 | Periodic reevaluation and management of healthy individual (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 90526000 | Initial evaluation and management of healthy individual (procedure) |
| Depression Screening Denominator Encounter Codes SNOMEDCT | SNOMEDCT | 2013-09 | 91573000 | Tympanometry testing (procedure) |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 90791 | Psychiatric diagnostic evaluation |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 90792 | Psychiatric diagnostic evaluation with medical services |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 90832 | Psychotherapy, 30 minutes with patient and/or family member |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 90834 | Psychotherapy, 45 minutes with patient and/or family member |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 90837 | Psychotherapy, 60 minutes with patient and/or family member |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 90839 | Psychotherapy for crisis; first 60 minutes |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 92625 | Assessment of tinnitus (includes pitch, loudness matching, and masking) |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 96116 | Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, eg, |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 96118 | Neuropsychological testing (eg, Halstead-Reitan Neuropsychological Battery, Wechsler Memory |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 96150 | Health and behavior assessment (eg, health-focused clinical interview, behavioral observations, |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 96151 | Health and behavior assessment (eg, health-focused clinical interview, behavioral observations, |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 97003 | Occupational therapy evaluation |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 99201 | Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 99202 | Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: An expanded problem focused history; An expanded problem |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 99203 | Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A detailed history; A detailed examination; Medical decision |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 99204 | Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 99205 | Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 99212 | Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A problem focused history; A problem |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 99213 | Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused history; An |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 99214 | Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed history; A detailed examination; |
| Depression Screening Denominator Encounter Codes CPT | CPT | 2014 | 99215 | Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A comprehensive history; A comprehensive |
| Depression Screening Denominator Encounter Codes HCPCS | HCPCS | 2014 | G0101 | Cervical or vaginal cancer screening; pelvic and clinical breast examination |
| Depression Screening Denominator Encounter Codes HCPCS | HCPCS | 2014 | G0402 | Initial preventive physical examination; face-to-face visit, services limited to new beneficiary |
| Depression Screening Denominator Encounter Codes HCPCS | HCPCS | 2014 | G0438 | Annual wellness visit; includes a personalized prevention plan of service (pps), initial visit |
| Depression Screening Denominator Encounter Codes HCPCS | HCPCS | 2014 | G0439 | Annual wellness visit, includes a personalized prevention plan of service (pps), subsequent visit |
| Depression Screening Denominator Encounter Codes HCPCS | HCPCS | 2014 | G0444 | Annual depression screening, 15 minutes |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 183524004 | Referral to psychiatry service (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 183583007 | Refer to mental health worker (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 183851006 | Referral to clinic (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 183866009 | Referral to emergency clinic (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 305922005 | Referral by mental health counselor (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 306136006 | Referral to liaison psychiatry service (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 306137002 | Referral to mental handicap psychiatry service (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 306226009 | Referral to mental health counseling service (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 306227000 | Referral for mental health counseling (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 306252003 | Referral to mental health counselor (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 306291008 | Referral to child and adolescent psychiatrist (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 306294000 | Referral to psychiatrist for mental handicap (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 308459004 | Referral to psychologist (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 308477009 | Referral to psychiatrist (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 309627007 | Child referral - clinical psychologist (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 390866009 | Referral to mental health team (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 401174001 | Depression management program (regime/therapy) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 429387009 | Referral by psychologist (procedure) |
| Referral for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 61801003 | Patient referral for psychiatric aftercare (procedure) |
| Additional Evaluation for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 10197000 | Psychiatric interview and evaluation (procedure) |
| Additional Evaluation for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 10997001 | Psychiatric evaluation of patient for testamentary capacity with report (procedure) |
| Additional Evaluation for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 165171009 | Initial psychiatric evaluation (procedure) |
| Additional Evaluation for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 165190001 | Psychiatric evaluation for rehabilitation (procedure) |
| Additional Evaluation for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 370803007 | Evaluation of psychosocial impact on plan of care (procedure) |
| Additional Evaluation for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 38756009 | Psychiatric evaluation of patient for criminal responsibility with report (procedure) |
| Additional Evaluation for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 45392008 | Psychologic evaluation or test procedure (procedure) |
| Additional Evaluation for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 79094001 | Initial psychiatric interview with mental status and evaluation (procedure) |
| Additional Evaluation for Depression Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 90407005 | Evaluation of psychiatric state of patient (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 14129001 | History and physical examination, follow-up for emotional or mental disease (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 183524004 | Referral to psychiatry service (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 183528001 | Referral to psychiatrist for the elderly mentally ill (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 183583007 | Refer to mental health worker (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 183866009 | Referral to emergency clinic (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 305922005 | Referral by mental health counselor (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 306136006 | Referral to liaison psychiatry service (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 306137002 | Referral to mental handicap psychiatry service (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 306138007 | Referral to psychogeriatric service (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 306204008 | Referral to psychogeriatric day hospital (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 306226009 | Referral to mental health counseling service (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 306227000 | Referral for mental health counseling (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 306252003 | Referral to mental health counselor (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 306294000 | Referral to psychiatrist for mental handicap (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 308459004 | Referral to psychologist (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 308477009 | Referral to psychiatrist (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 390866009 | Referral to mental health team (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 401174001 | Depression management program (regime/therapy) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 408293001 | Earlier referral for specialist review (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 429387009 | Referral by psychologist (procedure) |
| Referral for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 61801003 | Patient referral for psychiatric aftercare (procedure) |
| Additional Evaluation for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 10197000 | Psychiatric interview and evaluation (procedure) |
| Additional Evaluation for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 10997001 | Psychiatric evaluation of patient for testamentary capacity with report (procedure) |
| Additional Evaluation for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 165171009 | Initial psychiatric evaluation (procedure) |
| Additional Evaluation for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 165190001 | Psychiatric evaluation for rehabilitation (procedure) |
| Additional Evaluation for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 370803007 | Evaluation of psychosocial impact on plan of care (procedure) |
| Additional Evaluation for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 38756009 | Psychiatric evaluation of patient for criminal responsibility with report (procedure) |
| Additional Evaluation for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 45392008 | Psychologic evaluation or test procedure (procedure) |
| Additional Evaluation for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 79094001 | Initial psychiatric interview with mental status and evaluation (procedure) |

Measure Title: Depression Screening and Follow-up

| Value Set Name | Code System | Code System Version | Code | Description |
|---|-------------|---------------------|-----------|--|
| Additional Evaluation for Depression Adult SNOMEDCT | SNOMEDCT | 2013-09 | 90407005 | Evaluation of psychiatric state of patient (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 372067001 | Implementation of measures to provide psychological support (regime/therapy) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 385721005 | Coping support assessment (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 385724002 | Coping support management (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 385725001 | Emotional support assessment (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 385726000 | Emotional support education (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 385727009 | Emotional support management (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 385887004 | Mental health history taking assessment (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 385889001 | Mental health history taking education (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 385890005 | Mental health history taking management (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 401277000 | Completion of mental health crisis plan (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 410223002 | Mental health care assessment (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 410224008 | Mental health care education (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 410225009 | Mental health care management (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 410226005 | Mental health promotion assessment (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 410227001 | Mental health promotion education (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 410228006 | Mental health promotion management (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 410229003 | Mental health screening assessment (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 410230008 | Mental health screening education (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 410231007 | Mental health screening management (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 410232000 | Mental health treatment assessment (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 410233005 | Mental health treatment education (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 410234004 | Management of mental health treatment (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 425604002 | Case management follow up (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 439141002 | Discharge by mental health primary care worker (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 5694008 | Crisis intervention with follow-up (regime/therapy) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 88848003 | Psychiatric follow-up (procedure) |
| Follow-up Adolescent SNOMEDCT | SNOMEDCT | 2013-09 | 91310009 | Patient follow-up to return when and if necessary (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 372067001 | Implementation of measures to provide psychological support (regime/therapy) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 385721005 | Coping support assessment (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 385724002 | Coping support management (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 385725001 | Emotional support assessment (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 385726000 | Emotional support education (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 385727009 | Emotional support management (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 385887004 | Mental health history taking assessment (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 385889001 | Mental health history taking education (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 385890005 | Mental health history taking management (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 401277000 | Completion of mental health crisis plan (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 410223002 | Mental health care assessment (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 410224008 | Mental health care education (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 410225009 | Mental health care management (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 410226005 | Mental health promotion assessment (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 410227001 | Mental health promotion education (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 410228006 | Mental health promotion management (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 410229003 | Mental health screening assessment (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 410230008 | Mental health screening education (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 410231007 | Mental health screening management (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 410232000 | Mental health treatment assessment (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 410233005 | Mental health treatment education (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 410234004 | Management of mental health treatment (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 425604002 | Case management follow up (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 439141002 | Discharge by mental health primary care worker (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 5694008 | Crisis intervention with follow-up (regime/therapy) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 88848003 | Psychiatric follow-up (procedure) |
| Follow-up Adult SNOMEDCT | SNOMEDCT | 2013-09 | 91310009 | Patient follow-up to return when and if necessary (procedure) |
| Meds Adolescent RXNORM | RXNORM | 2014-01 | 1190110 | Fluoxetine 60 MG Oral Tablet |
| Meds Adolescent RXNORM | RXNORM | 2014-01 | 248642 | Fluoxetine 20 MG Oral Tablet |
| Meds Adolescent RXNORM | RXNORM | 2014-01 | 310384 | Fluoxetine 10 MG Oral Capsule |
| Meds Adolescent RXNORM | RXNORM | 2014-01 | 310385 | Fluoxetine 20 MG Oral Capsule |
| Meds Adolescent RXNORM | RXNORM | 2014-01 | 310386 | Fluoxetine 4 MG/ML Oral Solution |
| Meds Adolescent RXNORM | RXNORM | 2014-01 | 313989 | Fluoxetine 40 MG Oral Capsule |
| Meds Adolescent RXNORM | RXNORM | 2014-01 | 313990 | Fluoxetine 10 MG Oral Tablet |
| Meds Adolescent RXNORM | RXNORM | 2014-01 | 313995 | Fluoxetine 90 MG Enteric Coated Capsule |
| Meds Adolescent RXNORM | RXNORM | 2014-01 | 803293 | Fluoxetine 15 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1000048 | Doxepin Hydrochloride 10 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1000054 | Doxepin Hydrochloride 10 MG/ML Oral Solution |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1000058 | Doxepin Hydrochloride 100 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1000064 | Doxepin Hydrochloride 150 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1000070 | Doxepin Hydrochloride 25 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1000076 | Doxepin Hydrochloride 50 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1000097 | Doxepin Hydrochloride 75 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1041790 | Omega-3 Acid Ethyl Esters (USP) 1400 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 107078 | Folic Acid 0.4 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1086772 | vilazodone hydrochloride 10 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1086778 | vilazodone hydrochloride 20 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1086784 | vilazodone hydrochloride 40 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1086789 | (7 (vilazodone hydrochloride 10 MG Oral Tablet) / 7 (vilazodone hydrochloride 20 MG Oral Tablet) |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1092185 | Omega-3 Acid Ethyl Esters (USP) 1000 MG Enteric Coated Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1098649 | Nefazodone hydrochloride 100 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1098666 | Nefazodone hydrochloride 150 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1098670 | Nefazodone hydrochloride 200 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1098674 | Nefazodone hydrochloride 250 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1098678 | Nefazodone hydrochloride 50 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1098710 | Nefazodone hydrochloride 300 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1099288 | Desipramine Hydrochloride 10 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1099292 | Desipramine Hydrochloride 100 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1099296 | Desipramine Hydrochloride 150 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1099300 | Desipramine Hydrochloride 25 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1099304 | Desipramine Hydrochloride 50 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1099316 | Desipramine Hydrochloride 75 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1111695 | Omega-3 Acid Ethyl Esters (USP) 875 MG Chewable Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1119617 | Omega-3 Acid Ethyl Esters (USP) 840 MG Enteric Coated Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1190110 | Fluoxetine 60 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1232585 | 24 HR Bupropion Hydrochloride 450 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1245038 | Omega-3 Acid Ethyl Esters (USP) 333 MG Enteric Coated Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1291263 | Omega-3 Acid Ethyl Esters (USP) 875 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1298857 | Maprotiline Hydrochloride 25 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1298861 | Maprotiline Hydrochloride 50 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1298870 | Maprotiline Hydrochloride 75 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1301023 | Omega-3 Acid Ethyl Esters (USP) 1400 MG Enteric Coated Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 1301024 | Omega-3 Acid Ethyl Esters (USP) 600 MG Enteric Coated Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 197363 | Amoxapine 100 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 197364 | Amoxapine 150 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 197365 | Amoxapine 25 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 197366 | Amoxapine 50 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 198045 | Nortriptyline 10 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 198046 | Nortriptyline 50 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 198047 | Nortriptyline 75 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 198640 | Folic Acid 0.4 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 198641 | Folic Acid 0.8 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 199283 | Nortriptyline 10 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 199318 | Folic Acid 5 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 199333 | Folic Acid 0.5 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 199820 | Trimipramine 25 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 200145 | ST. JOHN'S WORT EXTRACT 300 MG Oral Capsule |

Measure Title: Depression Screening and Follow-up

| Value Set Name | Code System | Code System Version | Code | Description |
|-------------------|-------------|---------------------|--------|---|
| Meds Adult RXNORM | RXNORM | 2014-01 | 200368 | ST. JOHN'S WORT EXTRACT 510 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 200371 | Citalopram 20 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 237786 | Folic Acid 5 MG/ML Injectable Solution |
| Meds Adult RXNORM | RXNORM | 2014-01 | 242345 | ST. JOHN'S WORT EXTRACT 225 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 242637 | ST. JOHN'S WORT EXTRACT 25 MG/ML Oral Solution |
| Meds Adult RXNORM | RXNORM | 2014-01 | 242715 | ST. JOHN'S WORT EXTRACT 600 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 245373 | Trimipramine 50 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 245562 | Folic Acid 25 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 248642 | Fluoxetine 20 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 251200 | Sertraline 200 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 252463 | Folic Acid 0.8 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 252712 | ST. JOHN'S WORT EXTRACT 150 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 252714 | ST. JOHN'S WORT EXTRACT 300 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 252718 | ST. JOHN'S WORT EXTRACT 450 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 253086 | ST. JOHN'S WORT EXTRACT 400 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 259140 | ST. JOHN'S WORT EXTRACT 375 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 259993 | ST. JOHN'S WORT EXTRACT 500 MG/ML Oral Solution |
| Meds Adult RXNORM | RXNORM | 2014-01 | 260001 | Folic Acid 5 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 260002 | Folic Acid 20 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 282962 | ST. JOHN'S WORT EXTRACT 250 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 283406 | Mirtazapine 15 MG Disintegrating Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 283407 | Mirtazapine 30 MG Disintegrating Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 283485 | Mirtazapine 45 MG Disintegrating Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 283672 | Citalopram 10 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 284046 | ST. JOHN'S WORT EXTRACT 1000 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 309313 | Citalopram 2 MG/ML Oral Solution |
| Meds Adult RXNORM | RXNORM | 2014-01 | 309314 | Citalopram 40 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 309671 | Desipramine 25 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 309672 | Desipramine 50 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 310384 | Fluoxetine 10 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 310385 | Fluoxetine 20 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 310386 | Fluoxetine 4 MG/ML Oral Solution |
| Meds Adult RXNORM | RXNORM | 2014-01 | 310410 | Folic Acid 1 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 311725 | Mirtazapine 15 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 311726 | Mirtazapine 45 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 312036 | Nortriptyline 2 MG/ML Oral Solution |
| Meds Adult RXNORM | RXNORM | 2014-01 | 312241 | Paroxetine 10 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 312242 | Paroxetine 2 MG/ML Oral Suspension |
| Meds Adult RXNORM | RXNORM | 2014-01 | 312243 | Paroxetine 30 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 312244 | Paroxetine 40 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 312347 | Phenelzine 15 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 312938 | Sertraline 100 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 312940 | Sertraline 25 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 312941 | Sertraline 50 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313447 | Tranlycypromine 10 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313496 | Trimipramine 100 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313497 | Trimipramine 100 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313498 | Trimipramine 25 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313499 | Trimipramine 50 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313580 | venlafaxine 100 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313581 | 24 HR venlafaxine 150 MG Extended Release Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313582 | venlafaxine 25 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313583 | 24 HR venlafaxine 37.5 MG Extended Release Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313584 | venlafaxine 37.5 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313585 | 24 HR venlafaxine 75 MG Extended Release Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313586 | venlafaxine 75 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313989 | Fluoxetine 40 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313990 | Fluoxetine 10 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 313995 | Fluoxetine 90 MG Enteric Coated Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 314111 | Mirtazapine 30 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 314199 | Paroxetine 20 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 314277 | venlafaxine 50 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 317136 | Nortriptyline 25 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 349332 | Escitalopram 10 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 349591 | atomoxetine 10 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 349592 | atomoxetine 18 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 349593 | atomoxetine 25 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 349594 | atomoxetine 40 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 349595 | atomoxetine 60 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 351249 | Escitalopram 5 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 351250 | Escitalopram 20 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 351285 | Escitalopram 1 MG/ML Oral Solution |
| Meds Adult RXNORM | RXNORM | 2014-01 | 410062 | atomoxetine 5 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 410503 | 5-Hydroxytryptophan 100 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 476809 | Mirtazapine 7.5 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 485514 | 5-Hydroxytryptophan 50 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 562790 | Paroxetine 12.5 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 562791 | Paroxetine 25 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 562815 | Paroxetine 37.5 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 577208 | Omega-3 Acid Ethyl Esters (USP) 1000 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 596926 | duloxetine 20 MG Enteric Coated Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 596930 | duloxetine 30 MG Enteric Coated Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 596934 | duloxetine 60 MG Enteric Coated Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 608139 | atomoxetine 100 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 608143 | atomoxetine 80 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 730440 | Citalopram 10 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 730441 | Citalopram 20 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 730442 | Citalopram 40 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 790264 | 24 HR Desvenlafaxine 100 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 790288 | 24 HR Desvenlafaxine 50 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 794947 | Sertraline 150 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 803293 | Fluoxetine 15 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 808744 | 24 HR venlafaxine 150 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 808748 | 24 HR venlafaxine 225 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 808751 | 24 HR venlafaxine 37.5 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 808753 | 24 HR venlafaxine 75 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 835564 | Imipramine Hydrochloride 25 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 835568 | Imipramine Hydrochloride 50 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 835572 | Imipramine pamoate 75 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 835577 | Imipramine pamoate 150 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 835582 | Imipramine Hydrochloride 12.5 MG/ML Injectable Solution |
| Meds Adult RXNORM | RXNORM | 2014-01 | 835589 | Imipramine pamoate 125 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 835591 | Imipramine pamoate 100 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 835593 | Imipramine Hydrochloride 10 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856364 | Trazodone Hydrochloride 150 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856369 | Trazodone Hydrochloride 300 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856373 | Trazodone Hydrochloride 100 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856377 | Trazodone Hydrochloride 50 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856706 | Amitriptyline Hydrochloride 10 MG / Perphenazine 2 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856720 | Amitriptyline Hydrochloride 10 MG / Perphenazine 4 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856762 | Amitriptyline Hydrochloride 100 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856769 | Amitriptyline Hydrochloride 12.5 MG / Chlördiazepoxide 5 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856773 | Amitriptyline Hydrochloride 150 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856783 | Amitriptyline Hydrochloride 10 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856792 | Amitriptyline Hydrochloride 25 MG / Chlördiazepoxide 10 MG Oral Tablet |

Measure Title: Depression Screening and Follow-up

| Value Set Name | Code System | Code System Version | Code | Description |
|---|-------------|---------------------|--------------|--|
| Meds Adult RXNORM | RXNORM | 2014-01 | 856797 | Amitriptyline Hydrochloride 25 MG / Perphenazine 2 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856825 | Amitriptyline Hydrochloride 25 MG / Perphenazine 4 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856834 | Amitriptyline Hydrochloride 25 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856840 | Amitriptyline Hydrochloride 50 MG / Perphenazine 4 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856845 | Amitriptyline Hydrochloride 50 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 856853 | Amitriptyline Hydrochloride 75 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 857291 | Clomipramine Hydrochloride 10 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 857296 | Clomipramine Hydrochloride 25 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 857297 | Clomipramine Hydrochloride 25 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 857301 | Clomipramine Hydrochloride 50 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 857305 | Clomipramine Hydrochloride 75 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 857315 | Clomipramine Hydrochloride 50 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 859186 | selegiline hydrochloride 5 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 859190 | selegiline hydrochloride 1.25 MG Disintegrating Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 859193 | selegiline hydrochloride 5 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 861064 | Sertraline 20 MG/ML Oral Solution |
| Meds Adult RXNORM | RXNORM | 2014-01 | 865206 | 24 HR selegiline hydrochloride 0.25 MG/HR Transdermal Patch |
| Meds Adult RXNORM | RXNORM | 2014-01 | 865210 | 24 HR selegiline hydrochloride 0.375 MG/HR Transdermal Patch |
| Meds Adult RXNORM | RXNORM | 2014-01 | 865214 | 24 HR selegiline hydrochloride 0.5 MG/HR Transdermal Patch |
| Meds Adult RXNORM | RXNORM | 2014-01 | 884808 | Omega-3 Acid Ethyl Esters (USP) 1050 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 884813 | Omega-3 Acid Ethyl Esters (USP) 725 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 884821 | Omega-3 Acid Ethyl Esters (USP) 952 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 884824 | Omega-3 Acid Ethyl Esters (USP) 340 MG Enteric Coated Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 895018 | (5 (atomoxetine 10 MG Oral Capsule) / 5 (atomoxetine 18 MG Oral Capsule) / 5 (atomoxetine 25 |
| Meds Adult RXNORM | RXNORM | 2014-01 | 895020 | (5 (atomoxetine 18 MG Oral Capsule) / 5 (atomoxetine 25 MG Oral Capsule) / 5 (atomoxetine 40 |
| Meds Adult RXNORM | RXNORM | 2014-01 | 895023 | (5 (atomoxetine 25 MG Oral Capsule) / 5 (atomoxetine 40 MG Oral Capsule) / 5 (atomoxetine 60 |
| Meds Adult RXNORM | RXNORM | 2014-01 | 898697 | 24 HR Trazodone Hydrochloride 150 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 898704 | 24 HR Trazodone Hydrochloride 300 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 899262 | Omega-3 Acid Ethyl Esters (USP) 880 MG Oral Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 903873 | 24 HR Fluvoxamine Maleate 100 MG Extended Release Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 903879 | 24 HR Fluvoxamine Maleate 150 MG Extended Release Capsule |
| Meds Adult RXNORM | RXNORM | 2014-01 | 903884 | Fluvoxamine Maleate 100 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 903887 | Fluvoxamine Maleate 25 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 903891 | Fluvoxamine Maleate 50 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 905168 | Protriptyline Hydrochloride 10 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 905172 | Protriptyline Hydrochloride 5 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 966787 | Doxepin 3 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 966793 | Doxepin 6 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 991200 | Folic Acid 7.5 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 993503 | 12 HR Bupropion Hydrochloride 100 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 993518 | 12 HR Bupropion Hydrochloride 150 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 993536 | 12 HR Bupropion Hydrochloride 200 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 993541 | 24 HR Bupropion Hydrochloride 150 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 993550 | 24 HR Bupropion hydrobromide 174 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 993557 | 24 HR Bupropion Hydrochloride 300 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 993567 | 24 HR Bupropion hydrobromide 348 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 993681 | 24 HR Bupropion hydrobromide 522 MG Extended Release Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 993687 | Bupropion Hydrochloride 100 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 993691 | Bupropion Hydrochloride 75 MG Oral Tablet |
| Meds Adult RXNORM | RXNORM | 2014-01 | 994911 | Omega-3 Acid Ethyl Esters (USP) 100 MG Chewable Tablet |
| Suicide Risk Assessment SNOMEDCT | SNOMEDCT | 2013-09 | 225337009 | Suicide risk assessment (procedure) |
| Medical Reason Contraindicated SNOMEDCT | SNOMEDCT | 2013-09 | 183932001 | Procedure contraindicated (situation) |
| Medical Reason Contraindicated SNOMEDCT | SNOMEDCT | 2013-09 | 397745006 | Medical contraindication (finding) |
| Medical Reason Contraindicated SNOMEDCT | SNOMEDCT | 2013-09 | 407563006 | Treatment not tolerated (situation) |
| Patient Reason Refused SNOMEDCT | SNOMEDCT | 2013-09 | 105480006 | Refusal of treatment by patient (situation) |
| Patient Reason Refused SNOMEDCT | SNOMEDCT | 2013-09 | 183944003 | Procedure refused (situation) |
| Patient Reason Refused SNOMEDCT | SNOMEDCT | 2013-09 | 183945002 | Procedure refused for religious reason (situation) |
| Patient Reason Refused SNOMEDCT | SNOMEDCT | 2013-09 | 413310006 | Patient non-compliant - refused access to services (situation) |
| Patient Reason Refused SNOMEDCT | SNOMEDCT | 2013-09 | 413311005 | Patient non-compliant - refused intervention / support (situation) |
| Patient Reason Refused SNOMEDCT | SNOMEDCT | 2013-09 | 413312003 | Patient non-compliant - refused service (situation) |
| Adolescent Depression Screening LOINC | LOINC | 2.46 | 73831-0 | Adolescent depression screening assessment |
| Adult Depression Screening LOINC | LOINC | 2.46 | 73832-8 | Adult depression screening assessment |
| Positive Depression Screening SNOMEDCT | SNOMEDCT | 2013-09 | 428181000124 | Depression screening positive (situation) |
| Negative Depression Screening SNOMEDCT | SNOMEDCT | 2013-09 | 428171000124 | Depression screening negative (finding) |
| Depression Screening Result SNOMEDCT | SNOMEDCT | 2013-09 | 428171000124 | Depression screening negative (finding) |
| Depression Screening Result SNOMEDCT | SNOMEDCT | 2013-09 | 428181000124 | Depression screening positive (situation) |