


NQF 2467 – Adherence to ACEIs/ARBs for Individuals with Diabetes Mellitus

Denominator Algorithm

Measure: The percentage of eligible individuals with diabetes mellitus who had at least two prescriptions for angiotensin converting enzyme inhibitors (ACEIs)/angiotensin receptor blockers (ARBs) and who have a Proportion of Days Covered (PDC) of at least 0.8 during the measurement period (12 consecutive months).

Denominator: Individuals at least 18 years of age as of the beginning of the measurement period with diabetes mellitus and at least two prescriptions for ACEIs/ARBs during the measurement period (12 consecutive months).




NQF 2467 – Adherence to ACEIs/ARBs for Individuals with Diabetes Mellitus

Denominator Algorithm

Measure: The percentage of eligible individuals with diabetes mellitus who had at least two prescriptions for angiotensin converting enzyme inhibitors (ACEIs)/angiotensin receptor blockers (ARBs) and who have a Proportion of Days Covered (PDC) of at least 0.8 during the measurement period (12 consecutive months).

Denominator: Individuals at least 18 years of age as of the beginning of the measurement period with diabetes mellitus and at least two prescriptions for ACEIs/ARBs during the measurement period (12 consecutive months).



NQF 2467 – Adherence to ACEIs/ARBs for Individuals with Diabetes Mellitus

Numerator Algorithm

Measure: The percentage of eligible individuals with diabetes mellitus who had at least two prescriptions for angiotensin converting enzyme inhibitors (ACEIs)/angiotensin receptor blockers (ARBs) and who have a Proportion of Days Covered (PDC) of at least 0.8 during the measurement period (12 consecutive months).

Numerator: Individuals in the denominator with at least two prescriptions for ACEIs/ARBs and a PDC of at least 0.8 for ACEIs/ARBs.

